

USB-C™ Pro Docking Station 15 Port


CDS-15



2x USB-C 3.2 Gen2
1x USB-A 3.2 Gen2



2x HDMI
1x DP



RJ45 Ethernet Port



SD & MicroSD Slots

Connect. Collaborate. Unleash your productivity.

The Verbatim CDS-15 is a professional docking station with 15 ports. It offers advanced connectivity with two USB-C 3.2 Gen2 and two USB-A 3.2 Gen1 ports for high speed data transfer, alongside a USB-A 480 Mb/s port ideal for devices with low data transfer requirements like mouse, keyboard, etc..

The RJ45 port ensures stable network connectivity, while the SD/ MicroSD slots cater to versatile memory card needs. Supporting dual HDMI and single DP 8K connection, it provides seamless triple display setups with stunning visual clarity.

This versatile hub simplifies device management, accommodates various peripherals, and enhances productivity, making it an ideal solution for users seeking a comprehensive and efficient docking experience for their laptops or workstations, particularly in graphics-intensive or data-intensive tasks.

USB-C™ Pro Docking Station 15 Port

CDS-15

General Information

Product dimensions LxWxD	168 x 68,5 x 33 mm
Product weight	308
Material	Aluminum+ABS
Colour	Black/Grey

Connection

Host Port	USB-C Host to connect to your device.
Power IN	USB-C PD: supports up to 80W charging, input max. 100W to connect your power supply.
USB Ports	1 x USB-A 2.0: up to 480Mb/s - Design for the connection of 2.4 GHz wireless devices, such as wireless keyboards/mouse adapters etc. 2 x USB-A 3.2 Gen1: up to 5Gb/s backwards compatible with USB 2.0. 1 x USB-A 3.2 Gen2: up to 10Gb/s backwards compatible with USB 3.2 Gen1 and USB 2.0. 2 x USB-C 3.2 Gen2: up to 10Gb/s Power: 5V 0.9A
Video*	2 x HDMI: 8K@30Hz, 4K/60Hz/10bit, 1080p/60Hz/48bit, 720p/60Hz/48bit Supports 1080p/720p Bandwidth: 12G 1 x DP 1.4: 8K@30Hz, 4K/60Hz/10bit, 1080p/60Hz/48bit, 720p/60Hz/48bit. Supports 1080p/720p Bandwidth: 8G
Audio	1 x Audio jack 3.5mm: in/out /8 channel sampling rate 192khz/16bit
Memory Card	1 x SD 4.0: Read speed: Up to 250MB/s, Write speed: Up to 250MB/s 1 x Micro SD 3.0 Read speed: Up to 104MB/s, Write speed: Up to 80MB/s
Ethernet	1 x RJ45, up to 1Gb/s

Other Features

Supported OS	Windows 10/11, MacOS 10.2 or higher
Status LED	Yes
Power Switch	Yes
Safety Lock	Kensington Security Lock Slot

Storage and Operating Conditions

Operating Temperature	0°C to 40°C (32°F to 104°F)
Operating Humidity	20%-90%RH
Storage Temperature	-20°C to 85°C (-4°F to 185°F)
Storage Humidity	5%-95%RH

DP 1.4	HDMI	HDMI	DP
Single Display	8k@30Hz or 4K@120Hz	-	-
	-	8k@30Hz or 4K@120Hz	-
	-	-	8k@30Hz or 4K@120Hz
Dual Display	4K@60Hz	4K@60Hz	-
	-	4K@60Hz	4K@60Hz
	4K@60Hz	-	4K@60Hz
Triple Display	4K@60Hz	4K@30Hz	4K@30Hz

DP 1.2	HDMI	HDMI	DP
Single Display	4K@30Hz	-	-
	-	4K@30Hz	-
	-	-	4K@30Hz
Dual Display	2K@60Hz	1080p@60Hz	-
	-	2K@60Hz	1080p@60Hz
	1080p@60Hz	-	2K@60Hz
Triple Display	Supports a maximum of two displays.		

* Check which DP mode is supported by your device. MacOS only supports extension to one external monitor, second and third monitor can only mirror the first one. Windows has no limitations.


USB-C™ Pro Docking Station 15 Port

CDS-15

PN	Description	Bar Code	EAN128 Code	EAN14 Code
32171	USB-C Pro Docking Station 15 Port CDS-15	023942321712	(02)0023942321712(37)05(91)891	50023942321717

Logistic Information

Pack Dimensions L x W x H	220 x 115 x 36 mm
Pack Weight	406
Units per Pack	1
Outer Carton Dimensions L x W x H	235 x 200 x 140 mm
Outer Cartons Weight	2300
Units per Outer Carton	5
Outer Cartons per Layer	20
Layers per Pallet	7
Outer Boxes per pallet	140
Units per Pallet	700



USB-C™ Pro Docking Station 15 Port

CDS-15



Front Angled



Back Angled



Top Angled



Connections



Angle Lit



Angle Lit 2



47454 Packaging 3D



47454 Packaging Flat



Lifestyle 1



Lifestyle 2



Lifestyle 5



Lifestyle 4

Pack Contents:

- USB-C Pro Docking Station
- USB-C to USB-C Cable
- Quick Start Guide

System Requirements

- USB-C host port
- Windows 11, 10 or higher or Mac OS X 10.2 or higher

Warranty

- 2 year limited warranty

For more information, please contact your key account manager

Publication date: 23-01-2024
© 2024 Verbatim. All rights reserved.
All brand names are registered trademarks of their respective owners.
Unauthorized use strictly prohibited.
Specifications are subject to change without prior notice.