

# Delock Mobile Rack Inner Tray 1 x M.2 NVMe SSD for Mobile Rack 47028 / 47042 / 47070 / 47072 / 47111 / 47117 / 47126 / 47129

## Description

This mobile rack inner tray by Delock allows the installation of an **M.2 SSD** in 2280, 2260, 2242 or 2230 format and is compatible with mobile rack 47028 / 47042 / 47070 / 47072 / 47111 / 47117 / 47126 / 47129.



### Tray with key lock and springs

The mobile rack is equipped with a **key lock** to prevent unauthorised access. The stable carrier of metal has **springs** on the top and bottom which reduce vibrations.

**Item no. 47037**

EAN: 4043619470372

Country of origin: China

Package: Box

## Technical details

- Connectors:  
1 x M.2 key M male  
1 x M.2 key M slot
- Interface: PCIe / NVMe
- Supports M.2 modules in format 2280, 2260, 2242 and 2230 with key M or key B+M based on PCIe
- Maximum height of the components on the module: 1.5 mm, application of double-sided assembled modules supported
- Material: metal
- Operating temperature: -40 °C ~ 85 °C


## System requirements

- Mobile rack 47028 / 47042 / 47070 / 47072 / 47111 / 47117 / 47126 / 47129 by Delock

## Package content

- Mobile rack intray
- Heat sink
- Screws
- 2 x keys
- User manual

## Images





## Interface

|           |                    |
|-----------|--------------------|
| External: | 1 x M.2 key M male |
| Internal: | 1 x M.2 key M slot |