

Delock DL4 Solar Connectors for crimping, male and female, black 2 pcs

Description

These DL4 solar connectors for crimping by Delock can be used in a solar generator junction box to protect against overloads and the effects of short circuits.

DL4 connectors

The DL4 plugs and sockets have a snap-in function, which avoids unwanted interruptions and ensures a secure connection. The connection can be released again with the appropriate tool.

IP67 dust and waterproof

The DL4 solar connectors are protected from dirt and moisture.



Item no. 60028

EAN: 4043619600281

Country of origin: China

Package: Zip poly bag

Technical details

- Connectors:
 - 1 x DL4 male for crimping
 - 1 x DL4 female for crimping
- Cable cross section: ca. 4 mm²
- Compatible with MC4, TS4, QC4
- Operating temperature: -40 °C ~ 90 °C
- Protection class: IP67
- Voltage: max. 1000 V
- Colour: black
- Dimensions (LxWxH):
 - plug ca. 5.0 x 1.9 x 1.2 cm
 - female ca. 5.0 x 1.9 x 1.9 cm

System requirements

- A free DL4 port

Package content

- DL4 connectors

Images



Interface

Connector 1:	1 x DL4 male
Connector 2:	1 x DL4 female

Technical characteristics

Voltage:	1000 V
----------	--------

Physical characteristics

Length:	104 mm
Width:	39 mm
Height:	18 mm
Colour:	black