

Delock Mini DisplayPort 1.2 Adapter to VGA / HDMI / DVI / Audio female 4K Passive black

Description

With this mini DisplayPort adapter by Delock, the system can be extended by a **VGA, HDMI or DVI interface** and various devices such as TV, projector, monitor etc. can be connected.

Dual video output

If only one monitor is connected to the HDMI output, a maximum resolution of **4K 30 Hz** can be achieved.

It is possible to operate **two monitors simultaneously**, HDMI + VGA or DVI + VGA, with a maximum resolution of **1920 x 1080 @ 60 Hz** per monitor. In addition, it is then possible to extend or mirror the desktop.



Item no. 62073

EAN: 4043619620739

Country of origin: China

Package: Retail Box

Technical details

- Connectors:
 - 1 x mini DisplayPort male >
 - 1 x VGA female
 - 1 x HDMI-A female
 - 1 x DVI 24+5 female
 - 1 x 3.5 mm 3 pin stereo jack female
 - 1 x USB 2.0 Type Micro-B female (optional for power supply)
- Chipset: Explore EP9632C
- DisplayPort 1.2 and High Speed HDMI with Ethernet (HEC) specification
- DVI-D (Single Link), VGA not wired
- Passive converter (level shifter), suitable only for graphics cards with DP++ output
- Audio signal is transmitted only over HDMI
- HDMI specification:
 - Resolution up to 3840 x 2160 @ 30 Hz (depending on the system and the connected hardware)
 - Supports 3D displays (1080p @ 60 Hz)
- VGA / DVI specification:
 - Resolution up to 1920 x 1080 @ 60 Hz (depending on the system and the connected hardware)

- 1 x ferrite core
- Cable length without connectors: ca. 15 cm
- Colour: black

System requirements

- Linux Kernel 4.15 or above
- Windows 8.1/8.1-64/10/10-64/11
- A free mini DisplayPort DP++ female

Package content

- Adapter mini DisplayPort to VGA / HDMI / DVI

Images



General

Supported operating system:	Linux Kernel 4.15 or above Windows 10 32-Bit Windows 10 64-Bit Windows 8.1 32-Bit Windows 8.1 64-Bit
-----------------------------	--

Interface

Output:	1 x 3.5 mm 3 pin stereo jack female 1 x HDMI-A female 1 x VGA 15 pin female 1 x DVI 24+5 female
Input:	1 x mini DisplayPort 20 pin male

Technical characteristics

Maximum screen resolution:	3840 x 2160 @ 30 Hz 1920 x 1080 @ 60 Hz
----------------------------	--

Physical characteristics

Ferrite core:	1 x
Cable length:	15 cm
Colour:	black