


Delock Adapter Mini PCIe male to M.2 Key A slot

Description

This Adapter by Delock enables the connection of an **M.2 module** in 2242, 2230, 3042 or 3030 format. The adapter can be installed into the system through a **Mini PCIe interface**. Through the **predetermined breaking point**, the length can be shortened from full size to half size.



Item no. 64339

EAN: 4043619643394

Country of origin: China

Package: Box

Technical details

- Connectors:
1 x Mini PCIe male
1 x M.2 key A slot
- Interface: USB 2.0 / PCIe
- Form factor: Mini PCIe full size / half size
- Supports M.2 modules in format 2242, 2230, 3042 and 3030 with key A or key A+E based on USB / PCIe
- Maximum height of the components on the module: 1.5 mm, application of double-sided assembled modules supported
- Dimensions (LxWxH): ca. 54 x 30 x 4 mm

Package content

- Adapter
- Mounting material
- User manual

Images



General

Form factor:	Mini PCIe full size Mini PCIe half size
Slot:	PCIe USB
Supported module:	M.2 modules in format 2242, 2230, 3042 and 3030 with key A or key A+E based on USB / PCIe
Maximum height of the components on the module:	1.5 mm application of double-sided assembled modules supported

Interface

Connector 1:	1 x Mini PCIe male
Connector 2:	1 x M.2 key A slot

Physical characteristics

Length:	54 mm
Width:	30 mm
Height:	4 mm

Manufacturer information

Street	Beeskowdamm 13/15
Postal code	14167
City	Berlin
Country	Deutschland
E-Mail	info@delock.de
Website	www.delock.de