

# Delock USB Type-C™ Adapter to Gigabit LAN compact black

## Description

The adapter by Delock expands a PC or laptop by one network interface via the USB Type-C™ interface. In addition, the adapter can also be operated on a Thunderbolt™ 3 interface. With the small dimensions, the adapter is space-saving to transport and can be used practically everywhere.



**Item no. 66043**

EAN: 4043619660438

Country of origin: China

Package: Retail Box

## Technical details

- Connectors:
  - 1 x USB 5 Gbps USB Type-C™ male
  - 1 x Gigabit LAN RJ45 jack
- Chipset: ASIX AX88179A
- SuperSpeed USB - 5 Gbps specification
- Data transfer rate:
  - Ethernet up to 10 Mbps (Half/Full Duplex)
  - Fast Ethernet up to 100 Mbps (Half/Full Duplex)
  - Gigabit Ethernet up to 1000 Mbps (Half/Full Duplex)
- Compatible with:
  - IEEE 802.3: 10BASE-T
  - IEEE 802.3u: 100BASE-TX
  - IEEE 802.3ab: 1000BASE-T
- Supports Auto MDI-X (automatic detection of standard or crossover network cable)
- Supports IEEE 802.3az (Energy Efficient Ethernet)
- Supports IEEE 802.1Q Virtual LAN (VLAN)
- Support full duplex operation with IEEE 802.3x flow control and half duplex operation with back-pressure
- Supports 4k Jumbo Frames
- LED indicator for link and activity

- USB bus powered
- Colour: black
- Cable length without connectors: ca. 9 cm
- Dimensions (LxWxH): ca. 40 x 20 x 19 mm

---

## System requirements

- Linux Kernel 3.10 or above
- Mac OS 10.9 or above
- Windows 8.1/8.1-64/10/10-64/11
- Laptop or tablet with a free USB Type-C™ or Thunderbolt™ 3 port

---

## Package content

- USB Type-C™ Gigabit LAN adapter
- User manual

---

## Images



## General

|                             |                                                                                                                                                        |
|-----------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|
| Supported operating system: | Linux Kernel 3.10 or above<br>Mac OS 10.9 or above<br>Windows 10 32-Bit<br>Windows 10 64-Bit<br>Windows 8.1 32-Bit<br>Windows 8.1 64-Bit<br>Windows 11 |
| LED indicator:              | Link and activity                                                                                                                                      |

## Interface

|              |                                 |
|--------------|---------------------------------|
| Connector 1: | 1 x USB 5 Gbps USB Type-C™ male |
| Connector 2: | 1 x Gigabit LAN RJ45 jack       |

## Technical characteristics

|                     |                                                                                            |
|---------------------|--------------------------------------------------------------------------------------------|
| Chipset:            | ASIX AX88179                                                                               |
| Data transfer rate: | Ethernet up to 10 Mbps<br>Fast Ethernet up to 100 Mbps<br>Gigabit Ethernet up to 1000 Mbps |

## Physical characteristics

|               |       |
|---------------|-------|
| Cable length: | 9 cm  |
| Length:       | 40 mm |
| Width:        | 20 mm |
| Height:       | 19 mm |
| Colour:       | black |