

# Delock M12 Cable A-coded 8 pin female to RJ45 jack for installation Cat.5e FTP 5 m black

## Description

This industrial Ethernet cable by Delock can be used to connect various components with M12 connectors, e.g. for machine control or automation.

### With RJ45 panel-mount jack

The RJ45 connector can be attached with two screws, e.g. on a slot bracket or a chassis with the corresponding recess. In this way, it is possible to install the RJ45 connector in an easily accessible position.



**Item no. 80440**

EAN: 4043619804405

Country of origin: Taiwan,  
Republic of China

Package: Zip poly bag

## Technical details

- Connectors:
  - 1 x M12 female A-coded 8 pin
  - 1 x RJ45 jack for installation
- Pitch of screw hole: ca. 27 mm
- Cat.5e specification
- Shielded (FTP)
- Cable gauge: 26 AWG
- Cable diameter: ca. 6.8 mm
- Cable jacket material: PVC
- Flammability class: 94V-0
- Operating temperature: -40 °C ~ 85 °C
- Protection class: IP67
- Colour: black
- Length incl. connectors: ca. 5 m

## Package content

- M12 cable

---

## Images



## General

|                      |         |
|----------------------|---------|
| Specification:       | Cat. 5e |
| Protection category: | IP67    |

## Interface

|              |                                |
|--------------|--------------------------------|
| Connector 1: | 1 x M12 female 8 pin A-coded   |
| Connector 2: | 1 x RJ45 jack for installation |

## Technical characteristics

|                        |                |
|------------------------|----------------|
| Operating temperature: | -40 °C ~ 85 °C |
|------------------------|----------------|

## Physical characteristics

|                  |        |
|------------------|--------|
| Conductor gauge: | 26 AWG |
| Material:        | PVC    |
| Shielding:       | FTP    |
| Length:          | 5 m    |
| Colour:          | black  |
| Cable diameter:  | 6.8 mm |