

# Delock USB 3.2 Gen 2 FPC Flat Ribbon Cable USB Type-C™ to USB Type-C™ 13.5 cm PD 3 A E-Marker

## Description

This USB cable by Delock enables the connection between a device with a USB Type-C™ connector and a PC or a laptop equipped with a free USB Type-C™ port.

### Ultra flexible cable

The cable is characterized by its special construction. Instead of normal copper wires there is a flexible circuit board inside the cable, which is also called FPC (Flexible Printed Circuit). This makes the cable extremely flexible and yet robust. It is particularly suitable for charging smartphones via a power bank on the go.



**Item no. 85770**

EAN: 4043619857708

Country of origin: China

Package: Zip poly bag

## Technical details

- Connectors:
  - 1 x SuperSpeed USB 10 Gbps (USB 3.2 Gen 2) USB Type-C™ male >
  - 1 x SuperSpeed USB 10 Gbps (USB 3.2 Gen 2) USB Type-C™ male
- Chipset: CHC5388 E-Marker
- FPC (Flexible Printed Circuit) flat ribbon cable
- Output current: up to 3 A
- Cable thickness: ca. 3 mm
- Data transfer rate up to SuperSpeed USB 10 Gbps
- Colour: silver / black
- Length incl. connectors: ca. 13.5 cm

## System requirements

- PC or laptop with a free USB Type-C™ port
- Device with USB Type-C™ port

## Package content

- SuperSpeed USB 10 Gbps cable

---

## Images



## General

|        |            |
|--------|------------|
| Style: | Flat cable |
|--------|------------|

## Interface

|              |                                  |
|--------------|----------------------------------|
| Connector 1: | 1 x USB 10 Gbps USB Type-C™ male |
| Connector 2: | 1 x USB 10 Gbps USB Type-C™ male |

## Technical characteristics

|                     |                  |
|---------------------|------------------|
| Chipset:            | CHC5388 E-Marker |
| Data transfer rate: | 10 Gbps          |
| Maximum current:    | 3 A              |

## Physical characteristics

|         |        |
|---------|--------|
| Length: | 135 mm |
| Colour: | black  |