

# Delock USB Docking Station Dual DisplayPort 4K / USB 3.2 / LAN / Audio (Displaylink)

## Description

This docking station by Delock can be connected to a computer with a **USB-C™** or **USB Type-A** port and provides a variety of interfaces. **Two monitors** can be operated **simultaneously at the DisplayPort output ports**. Six built-in USB 3.2 Gen 1 ports allow the use of peripherals, and connections for microphone and speaker and Gigabit network complete the features.

### 4K 60 Hz UHD resolution

**Ultra-HD (4K) resolution** is possible when using only one monitor and also when using both DisplayPort outputs at the same time. There is no DisplayPort Alternate Mode support required.

### Extended screen by Displaylink

Due to the Displaylink graphics chipset it is possible to use **mirrored and extended screen functions** on Windows and Mac OS operating systems.



**Item no. 87728**

EAN: 4043619877287

Country of origin: China

Package: Retail Box

## Technical details

- Connectors:
  - front side:
    - 1 x SuperSpeed USB 5 Gbps (USB 3.2 Gen 1) Type-A female
    - 1 x SuperSpeed USB 5 Gbps (USB 3.2 Gen 1) Type-A female - Battery Charging specification BC1.2
    - 1 x microphone 3.5 mm stereo jack
    - 1 x speaker 3.5 mm stereo jack
  - back side:
    - 4 x SuperSpeed USB 5 Gbps (USB 3.2 Gen 1) Type-A female
    - 2 x DisplayPort female
    - 1 x Gigabit LAN 10/100/1000 Mbps RJ45 jack
    - 1 x SuperSpeed USB 5 Gbps (USB 3.2 Gen 1) Type-B female
    - 1 x DC 20 V power connector
- Maximum resolution (depending on the system and the connected hardware):
  - Single display: up to 3840 x 2160 @ 60 Hz

Dual display: up to 3840 x 2160 @ 60 Hz

- Transmission of audio and video signals
- Functions: Mirrored or Extended
- 1 x On / Off switch
- Colour: black
- Dimensions without stand (LxWxH): ca. 190 x 78 x 38 mm

---

## Power supply specification

- Wall power supply
- Input: AC 100 ~ 240 V / 50 ~ 60 Hz / 1.3 A
- Output: 20 V / 2.25 A
- Ground outside, plus inside
- Dimensions:
  - inside: ø ca. 1.7 mm
  - outside: ø ca. 4.75 mm
  - length: ca. 9.5 mm

---

## System requirements

- Mac OS 12.0.1 or above
- Windows 8.1/8.1-64/10/10-64/11
- PC or laptop with a free USB Type-A port or
- PC or laptop with a free USB Type-C™ or Thunderbolt™ 3 port

---

## Package content

- USB docking station
- Cable USB Type-A male to Type-B male, length ca. 1 m
- Cable USB-C™ male to USB Type-B male, length ca. 1 m
- Power supply
- User manual

## Images



## General

|                             |                                                                                                                            |
|-----------------------------|----------------------------------------------------------------------------------------------------------------------------|
| Function:                   | mirror and extend                                                                                                          |
| Supported operating system: | Windows 10 32-Bit<br>Windows 10 64-Bit<br>Windows 8.1 32-Bit<br>Windows 8.1 64-Bit<br>Windows 11<br>Mac OS 12.0.1 or above |

## Technical characteristics

|                            |                     |
|----------------------------|---------------------|
| Maximum screen resolution: | 3840 x 2160 @ 60 Hz |
|----------------------------|---------------------|

## Physical characteristics

|         |       |
|---------|-------|
| Colour: | black |
|---------|-------|