



Delock Fiber Optic Distribution Box for indoor and outdoor IP65 waterproof lockable 8 port white

Description

This lockable distribution box by Delock can be used for wall mounting and serves as a protective housing for optical cables and couplings. The distribution box can accommodate up to eight SC Simplex or LC Duplex couplings.

With splice cassette

The integrated splice tray enables clean routing of the individual fibers for optimal transmission of lightwave signals. In addition, the cassette is perfect for mechanical splicing and fusion splicing.

IP65 dust and waterproof

The distribution box has two cable entries, each with a gland, and nine cable outlets that are protected with a rubber seal. The cable glands and seals provide a watertight seal to the enclosure for feed through of fiber optic cables indoor and outdoor.



Specification

- Fiber optic distribution box for FTTH applications
- 8 slots for SC Simplex or LC Duplex couplings
- Wall mounting
- Lockable
- With splice cassette
- Cable entry with gland and rubber seal
- Cable diameter: ca. 12 mm
- Suitable for indoor and outdoor use
- Protection class: IP65
- Environmental temperature: -40 °C ~ 75 °C
- Housing colour: white
- Housing material: ABS
- Dimensions (LxWxH): ca. 243 x 195 x 55 mm

Package content

- Fiber optic distribution box
- 1 x key
- Mounting material
- Plastic tube
- 8 x heat shrink splice protection

Item no. 87902

EAN: 4043619879021

Country of origin: China

Package: Box

Images





Technical characteristics

Storage temperature: -40 °C ~ 75 °C

Protection class: IP65

Physical characteristics

Material: ABS

Length: 243 mm

Width: 195 mm

Height: 55 mm

Colour: white

Cable diameter: 12 mm