


# Delock PCI Express x1 Card to 1 x SFP slot 100Base-FX RTL

## Description

This PCI Express network card by Delock provides a connection for an SFP module with a transfer rate of 100 Mbps. The SFP slot accepts an optional 100Base-FX SFP module by Delock to connect a PC via a fiber optic cable to the network.



**Item no. 88216**

EAN: 4043619882168

Country of origin: China

Package: White Box

## Specification

- Connectors:  
internal: 1 x PCI Express x1, V2.1  
external: 1 x SFP slot for 100 Mbps SFP module
- Chipset: Realtek RTL8105SE
- Data transfer rate:  
Fast Ethernet up to 100 Mbps  
PCI Express x1 up to 2.5 Gbps
- Supports IEEE 802.1P layer 2 priority encoding
- Supports IEEE 802.1Q Virtual LAN (VLAN)
- LED indicator for link and activity

## System requirements

- Windows 10/10-64/11
- PC with one free PCI Express slot
- SFP module

---

## Package content

- PCI Express card
- Low profile bracket
- User manual

---

## Images



## General

|                             |                                                      |
|-----------------------------|------------------------------------------------------|
| Supported operating system: | Windows 10 32-Bit<br>Windows 10 64-Bit<br>Windows 11 |
|-----------------------------|------------------------------------------------------|

## Interface

|           |                                      |
|-----------|--------------------------------------|
| External: | 1 x SFP slot for 100 Mbps SFP module |
| Internal: | 1 x PCI Express x1, V2.1             |

## Technical characteristics

|                     |                              |
|---------------------|------------------------------|
| Chipset:            | Realtek RTL8105SE            |
| Data transfer rate: | Fast Ethernet up to 100 Mbps |

## Physical characteristics

|               |                         |
|---------------|-------------------------|
| Slot bracket: | Low Profile<br>standard |
|---------------|-------------------------|