

Fiber Optic Wall Box for 4 x SC Simplex or LC Duplex adapters metal housing

Description

This compact fiber optic wall box by Delock can be used for small to medium-sized indoor FTTH fiber optic installations. It offers space for up to 4 SC Simplex or 4 LC Duplex adapters and is therefore a flexible solution for various applications in network infrastructures.

For wall mounting

Due to the wall mounting option, the box can be installed in a space-saving and secure manner - ideal for technical rooms, corridors or distribution points.

With splice holder

The integrated splice holder enables clean routing of the individual fibers for optimal transmission of lightwave signals. In addition, the holder is perfect for mechanical splicing and fusion splicing.

Metal housing

The robust metal housing ensures reliable mechanical stability and protects the sensitive fiber optic connections from external influences.



Item no. 90716

EAN: 4043619907168

Country of origin: China

Package: Box


Technical details

- 4 slots for SC Simplex or LC Duplex couplings
- Rectangular cut-out: 13.0 x 9.5 mm
- Mounting hole diameter: ca. 1.9 mm
- Pitch of screw hole: ca. 17.6 mm
- 4 flexible brackets for wall mounting, mounting hole diameter: ca. 4.0 mm
- With splice holder
- With two round cable bushings Ø 21 mm
- Temperature range: -10 °C ~ 80 °C
- Housing colour: grey
- Housing material: metal
- Dimensions (LxWxH): ca. 135 x 125 x 31 mm

Package content

- 1 x fiber optic wall box
- 1 x heat shrink splice protection
- 1 x hose clamp
- 4 x cable tie
- 4 x cable holder
- 4 x screw M4 x 16 mm
- 8 x screw M2 x 2 mm

Images



Technical characteristics

Operating temperature:	-10 °C ~ 80 °C
------------------------	----------------

Physical characteristics

Housing colour:	grey
Housing material:	metal
Length:	135 mm
Width:	125 mm
Height:	31 mm

Manufacturer information

Street	Beeskowdamm 13/15
Postal code	14167
City	Berlin
Country	Deutschland
E-Mail	info@delock.de
Website	www.delock.de