

Delock Socket for 25 mm 6 pin Push Button or Switch

Description

This **socket** by Delock is specifically **designed for** metal **push buttons or switches** that operate with or without LED lighting.


Design and pin layout

The housings are available in various sizes and shapes to accommodate different designs of push buttons and are tailored to switches with a specific pin layout.

Please Note

The installation should only be carried out by qualified electricians in compliance with the usual national power supply guidelines.

Grounding is necessary for low-voltage systems to ensure the safety and functionality of the system.



Item no. 90790

EAN: 4043619907908

Country of origin: China

Package: Zip poly bag



Technical details

- Switching voltage: AC 230 V~ / 3 A
- Number of contacts: 6
- Operating temperature: -25 °C ~ 55 °C
- Colour: black
- Material: plastic
- Protection class: IP65
- Cable type: stranded wire
- Cable gauge: 22 AWG
- Cable length: ca. 150 mm
- Dimensions (LxD): ca. 24 mm x 20 mm

Package content

- Socket

Images



General

Mounting type:	Soldering
Protection class:	IP65

Technical characteristics

Load limit:	AC 230 V~ / 3 A
Operating temperature:	-25 °C ~ 55 °C

Physical characteristics

Housing material:	Plastic
Cable length:	150 mm
Cable gauge:	22 AWG
Colour:	black
Mounting hole diameter:	22 mm

Manufacturer information

Street	Beeskowdamm 13/15
Postal code	14167
City	Berlin
Country	Deutschland
E-Mail	info@delock.de
Website	www.delock.de