


PCI Express x4 Card to 5 Port SATA Controller - Low Profile Form Factor

Description

The PCI Express card by Delock expands a PC by **five internal SATA ports**. Different devices such as SSDs, hard drives, DVD-drives etc. can be connected to the SATA expansion card.



Item no. 90890

EAN: 4043619908905

Country of origin: China

Package: Box

Technical details

- Connectors:
5 x SATA 6 Gb/s 7 pin plug
1 x PCI Express x4 (2-Lane), V3.0
- Chipset: JMicron JMB585
- 5 x LED indicator
- Supports Native Command Queuing (NCQ)
- Supports S.M.A.R.T.
- Supports TRIM
- Supports DevSleep
- Hot Swap
- Bootable


System requirements

- Linux Kernel 6.5 or above
- Windows 10/10-64/11
- PC with one free PCI Express x4 / x8 / x16 / x32 slot

Package content

- PCI Express card
- Low profile bracket
- User manual

Images



General

Form factor:	Low Profile
Function:	bootable TRIM S.M.A.R.T.
Supported operating system:	Windows 10 32-Bit Windows 10 64-Bit Windows 11 Linux Kernel 6.5 or above
LED indicator:	5 x

Interface

Internal:	5 x SATA 6 Gb/s 7 pin plug 1 x PCI Express x4 (2-Lane), V3.0
-----------	---

Technical characteristics

Chipset:	JMicron JMB585
Data transfer rate:	6 Gb/s

Manufacturer information

Street	Beeskowdamm 13/15
Postal code	14167
City	Berlin
Country	Deutschland
E-Mail	info@delock.de
Website	www.delock.de