



IPC 4U-4736

The **IPC 4U-4736** is the perfect rack for a small and cost-effective storage system. Due to the excellent material quality, in combination with excellent workmanship, Inter-Tech has created the basis for an extremely variable case.

The case offers the possibility of installing a maximum of 36x 2.5" or 3.5" hot-swap hard disks, as well as optionally two 2.5" internal hard disks. The IPC 4U-4736 is equipped with seven 80mm hot-swap hard disks installed as standard Fans equipped that reliably ensure optimal cooling.

Additional extras such as the reusable and perforated low-profile slot brackets, USB 2.0 connections and the case lid with snap-in closures complete this excellent overall package.

Specifications

Motherboard	Mini ITX, µATX, ATX, eATX, SSI EEB maximal motherboard size BxT: 305mm x 345mm, 12" x 13.5"
Drive bays	36x 2.5" or 3.5" Hot-Swap (max. 6G) 1x mounting bracket for 2x 2.5"
Front connectors	USB 2.0: 2
Cooling system	Internal: 7x 80mm (7x serial, 4pin at backplane)
Controls	Power button Reset button UID button
LED	Power HDD activity 2x network activity Alert Temperature alert
Power supply	2U PSU 2U redundant PSU
Material	1.0-1.2mm steel
Maximum CPU cooler height	60mm
Maximum graphics card length	340mm
Packing units	Shipping unit: 1 piece Pallet: 14 pieces
Warranty	24 months
Article number	88887355
EAN-Code	4260455647267
Scope of delivery	Screws Mounting bracket for 2U (pre-mounted) and 2U 2-way redundant power supplies Mounting bracket internal for various power supplies
Features	Standard 7x 80mm fans 7x perforated slot brackets Lid with snap-in lock 2x 12-way S-ATA/SAS hot-swap backplane with 3x SFF-8087 socket ¹

¹The backplane is only suitable for operation on a SAS controller with a SFF-8087 connector.
Adapter cables are required for controllers with other connections.

For operation with a SATA controller, please order the corresponding number of the optional crossed SFF-8087 to 4x SATA cables (88885237).

Dimensions and Weight

	Cage	Case	Package
Height	176mm	176mm	250mm
Width	431mm	481mm	570mm
Depth	655mm	685mm	855mm

Weight (net): 18.43kg
Weight (gross): 21.07kg

Power Supply

Connector	Quantity	Max. Length
Mainboard 20+4Pin	-	-
P4 12V 4Pin	-	-
P4/EPS 4+4Pin	-	-
P8 12V 8Pin	-	-
PCI-Express 6+2Pin	-	-
PCI-Express 15Pin	-	-
IDE 4Pin	-	-
S-ATA	-	-
Floppy	-	-
RPM sensor cable	-	-
Fan Control	-	-
Fan: 120mm	-	-

Without

Certification:

