






2 x 2 USB 3.2 Gen 1 Sharing Switch

US4322

Style Meets Efficiency – One-Touch USB Sharing



The US4322 enables sharing of up to two USB Type-A peripherals at a blazing-fast data transfer rate reaching 5 Gbps between two PCs at a press of the built-in pushbutton thanks to InstaSync™ technology it adopts for fast switching. It comes plug-and-play to support mainstream operating systems, including Windows, macOS, and Linux, without any driver or software installation. The compact casing with accent light enhances aesthetic appeal, matching the vibes of your hybrid workstation or gaming corner.



Features

InstaSync™ Technology

Fast USB switching capability that keeps the flow smooth and uninterrupted

Two USB Device Sharing Across Two Computers

Farewell to the need of swapping cables and peripherals between two separate computers

5 Gbps Data Transfer with USB 3.2 Gen 1

Up to 5 Gbps SuperSpeed data transfer rates, which is about 10 times faster than the USB 2.0 standard, allow users to transfer large files quickly and efficiently

Quick Switch via Built-In Pushbutton

Enjoy the hassle-free experience of switching USB peripherals between two systems with just one single button press

Compact Enclosure with Accent Lighting

Aesthetically pleasing with its accent lighting and a casing so compact that it occupies very little space


Hot Pluggable

Allows adding / removal of the peripherals/computers connected to the installation without having to power down the switch. Besides, no drivers or software is required.

OS Independent

Compatible with mainstream operating systems including Windows, macOS, and Linux

Installation



Specification

Computer Connections	2
Port Selection	Pushbutton
Connectors	
Computer	2 x USB Type-A Female (Blue)
Device	2 x USB Type-A Female (Blue)
Cable Length	
USB Cable	2 x USB 3.2 Gen 1 Type-A to Type-A Cable (1.5 m)
LEDs	
Selected	2 (Orange)
Power	2 (Orange, Bottom Side)
Environmental	
Operating Temperature	0 – 40°C
Storage Temperature	-20 – 60°C
Humidity	10 – 80% RH, Non-condensing
Physical Properties	
Housing	Plastic
Weight	34 g
Dimensions (L x W x H)	6.1 x 5.65 x 1.52 cm
Carton Lot	20 pcs

Package Contents

