




4 Computer 4-Port USB 3.1 Sharing Switch



TK-U404 (v1.0R)

- 4 x USB 3.1 Gen 1 (Type-A) ports for PC connections
- 4 x USB 3.1 Gen 1 (Type-A) ports for peripheral devices
- 1 x Micro-B USB port for power
- Simple setup with a driverless installation
- Powered via USB – no external power adapter required
- Required cabling included
- Backwards compatible with USB 3.0, 2.0, and 1.1 devices
- Compatible with Windows and Mac operating systems
- LED indicator shows active computer

TRENDnet's Multi-Computer 4-Port USB 3.1 Sharing Switches each feature a switchable 4-port USB 3.1 hub that you can share between multiple computers. These USB switches are easy to install – simply plug in your mouse, keyboard, flash drives, or scanners, and then share those devices with multiple computers. The 4-port USB 3.1 share switches support a wide variety of USB peripherals with USB 3.0, 2.0, and 1.1 backwards compatibility.



*Select active PC by using the push button switch



Easy Installation

This USB switch is easy to install – simply plug in mouse, keyboard, flash drives, or scanners, and then share those devices with up to four computers.

Compact Design

A compact housing makes this USB 3.1 share switch ideal for desktop installations.

USB Powered

The USB switch is powered via USB – no external power adapter is required.

NETWORKING SOLUTION



FEATURES



USB 3.1

USB 3.1 Gen 1 (Type-A) ports for PC connections and for peripheral devices



Compact Design

A compact housing makes this USB 3.1 hub share switch ideal for desktop installations



Easy Installation

This USB sharing switch is easy to install – simply plug in flash drives, printers, scanners, and other USB 3.1 devices, and then share those devices with multiple computers



Backwards Compatible

Backwards compatible with USB 3.0, 2.0, and 1.1 devices



LED Indicators

LED indicators on the USB switch show active computer

SPECIFICATIONS

Hardware Interface

- 4 x USB 3.1 Gen 1 Type A for PCs
- 4 x USB 3.1 Gen 1 Type A for devices
- 1 x Micro USB

Switching Control

- Push button

Operating Temperature

- 0° – 40° C (32° – 104° F)

Operating Humidity

- Max. 90% non-condensing

Power

- USB Powered

Dimensions

- 117 x 71 x 22mm (4.6 x 2.8 x 0.87 in.)

Weight

- 98 g (3.5 oz.)

Warranty

- 2 year

Certifications

- CE
- FCC Class B
- ROHS

Package Contents

- TK-U404
- Quick Installation Guide
- 4x USB 3.1 Gen 1 Type A to Type A
- 1x Micro USB Cable

All references to speed are for comparison purposes only. Product specifications, size, and shape are subject to change without notice, and actual product appearance may differ from that depicted herein.