

Lexmark CS531dw Colour 4800 x 4800 DPI A4 Wi-Fi

Brand : Lexmark

Product code: 50M0030

Product name : CS531dw

- Colour Laser Printer
 - Duplex (2-sided) Printing: Integrated Duplex
 - Recommended Monthly Page Volume: 1,500 - 10,000 Pages
 A4 - A6, 33 ppm, 1200 x 1200 dpi, Gigabit Ethernet, Wifi, Dual Core, 1 GHz, 1024 MB, 455 x 422.50 x 318.30mm, 20.55 kg
 Lexmark CS531dw. Print technology: Laser, Colour. Number of print cartridges: 2, Maximum duty cycle: 100000 pages per month. Maximum resolution: 4800 x 4800 DPI. Maximum ISO A-series paper size: A4. Print speed (black, normal quality, A4/US Letter): 33 ppm, Duplex printing. Wi-Fi. Product colour: Grey, White




Printing		Performance	
Print resolution colour	1200 x 1200 DPI	Internal memory *	1024 MB
Print resolution black	1200 x 1200 DPI	Maximum internal memory	1024 MB
Print speed (colour, normal quality, A4/US Letter)	33 ppm	Built-in processor	✓
Colour *	✓	Sound pressure level (printing)	51 dB
Print technology *	Laser	Sound pressure level (duplex printing)	51 dB
Duplex printing *	✓	Sound power level (standby)	14 dB
Maximum resolution *	4800 x 4800 DPI	Design	
Print speed (black, normal quality, A4/US Letter) *	33 ppm	Market positioning *	Home & office
Duplex print speed (colour, normal quality, A4/US Letter)	17 ppm	Product colour *	Grey, White
Duplex print speed (white, normal quality, A4/US Letter)	17 ppm	Built-in display *	✓
Time to first page (black, normal)	7.1 s	Colour display	✓
Time to first page (colour, normal)	7.6 s	Display diagonal	7.11 cm (2.8")
Features		Certification	ENERGY STAR, Blue Angel RAL-UZ 205, ICES-003 Class B, BSMI Class B, VCCI Class B, US FDA, UL 60950-1, FCC Class B, cUL CAN/CSA-C22.2 60950-1, CB EN/IEC 60950-1, CB EN/IEC 60825-1, CE DoC (EN 62368-1, EN 62311, CE EN/IEC 60950-1, CE EN/IEC 60825-1, EN 61000-3, EN 55022 Class B, EN 55035, UL), EFTA (CE), KCC, CCC, CECF, CEL, UL-AR, KC mark, UL GS mark, UCRF, EC 1275
Maximum duty cycle *	100000 pages per month		
Recommended duty cycle	1500 - 10000 pages per month		
Printing colours *	Black, Cyan, Magenta, Yellow		
Number of print cartridges *	2		
Page description languages *	HTML Direct Image Space, PCL 5, PCL 6, PDF 1.7, PPDS, PostScript 3		
Input & output capacity		Power	
Total number of input trays *	2	Power consumption (printing) *	514 W
Total input capacity *	251 sheets	Power consumption (ready)	20.8 W
Total output capacity *	170 sheets	Power consumption (standby)	1 W
Paper tray 1 input capacity	251 sheets	System requirements	
Multi-Purpose tray	✓	Windows operating systems supported	✓
Maximum input capacity	2001 sheets	Mac operating systems supported	✓
Maximum output capacity	170 sheets	Linux operating systems supported	✓
Paper handling		Operational conditions	
Maximum ISO A-series paper size *	A4	Operating temperature (T-T)	10 - 32.2 °C
Paper tray media types *	Envelopes, Letterhead	Operating relative humidity (H-H)	15 - 80%
ISO A-series sizes (A0...A9) *	A4, A5, A6	Operating altitude	0 - 2900 m
ISO B-series sizes (B0...B9)	B5		
ISO C-series sizes (C0...C9)	C5		

Paper handling		Weight & dimensions	
Non-ISO print media sizes	Executive, Folio, Hagaki card, Legal, Letter, Oficio, Statement, Universal	Width	455 mm
JIS B-series sizes (B0...B9)	B5	Depth	422.5 mm
Envelopes sizes	7 3/4, 9, 10, B5, C5, DL	Height	318.3 mm
Ports & interfaces		Weight	20.6 kg
		Packaging data	
Direct printing *	✓	Package width	595 mm
USB port *	✓	Package depth	495 mm
USB 2.0 ports quantity	3	Package height	402 mm
USB connector	USB Type-A / USB Type-B	Package weight	23.9 kg
Network		Packaging content	
Wi-Fi *	✓	Cartridge(s) included	✓
Ethernet LAN *	✓	Included cartridge capacity (black)	3000 pages
Cabling technology	10/100Base-T(X)	Included cartridge capacity (CMY)	2000 pages
Ethernet LAN data rates	10,100,1000 Mbit/s	Cables included	AC
Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n)		
Near Field Communication (NFC)	✓		



0734646731294



734646731294

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 07-MAY-2024. Prints or copies of Information are only valid on the printed Publication date