



Datenblatt - Fiche technique - Data sheet

11.04.5609



ROLINE DisplayPort Kabel, DP ST - ST, 10,0m

ROLINE Câble DisplayPort DP M - DP M, 10,0m


ROLINE DisplayPort Cable, DP-DP, M/M, 10 m

ROHS-COMPLIANT

LTR	REV.	DESCRIPTION	DATE

DISPLAYPORT MALE
INS:BLACK

DISPLAYPORT MALE
INS:BLACK



NOTE:

1.CABLE: UL-20276 [#30(7/0.1 T.C)×1P INS:FOAM-PE+D.W(7/0.1 T.C)+AL/MY +Hot-melt Mylar]×5C + #30(7/0.1 T.C)×4C INS:Polyethylene+AL/MY+ B.D(85%) PVC JACKET, OD:6.5±0.2mm COLOR:MAT BLACK(NK-K01) .

2.CONNECTOR:

P1 & P2: DISPLAYPORT 20P MALE W/PCB & LATCH CONTACT:15u"

SHELL:NI-PLATED .

3.SHIELD:INNER MOLD MUST BE WRAPPED COPPER TO CONNECTOR SHELL & CABLE BRAID

4.HOOD:ASS'Y TYPE, PLASTIC HOOD COLOR:BLACK(NK-K01)

5.ELECTRICAL TEST:

(1)100% OPEN SHORT & MIS WIRE TEST.

(2)CONTACT RESISTANCE 3 ohm Max .

(3)INSULATION RESISTANCE 10M ohm Min .

(4)HI-POT DC300V

6.PACKING:EACH PC / POLY BAG + HEADER CARD + BAR CODE LABEL.

200-1161-3	11.04.5605	5000	50	10	7611990186280
200-1161-2	11.04.5603	3000	30	20	7611990186273
200-1161-1	11.04.5602	2000	30	20	7611990186266
DWG	P/N	L(mm)	T(mm)	PCS/CTN	BAR CODE NO.

Tolerance Inch M/M		Rotronic co., LTD. Title DISPLAYPORT ASS'Y CABLE	
X	.015 .30		
XX	.010 .10		
XXX	.005 .05		
Draw		FANNIE 01/14/09'	
Check		Customer P/N	
Engr		App'd	Customer: T-RAG
		Scale NONE	Units M/M
Dwg No. 200-1161		REV:A	Third Angle Projection
		Sheet:1/2	

LTR	REV.	DESCRIPTION	DATE

PIN OUT

P1	P2	CABLE FUNCTION
1	12	ML__Lane 0(p)
3	10	ML__Lane 0(n)
2	11	GND
4	9	ML__Lane 1(p)
6	7	ML__Lane 1(n)
5	8	GND
7	6	ML__Lane 2(p)
9	4	ML__Lane 2(n)
8	5	GND
10	3	ML__Lane 3(p)
12	1	ML__Lane 3(n)
11	2	GND
15	15	AUX CH(p)
17	17	AUX CH(n)
16	16	GND
13	13	GND
14	14	GND
18	18	Hot Plug Detect
19	19	Return DP__PWR
SHELL	SHELL	
	B.D	

Tolerance Inch M/M			Rotronic co., LTD. Title DISPLA YPORT ASS'Y CABLE		
. X	.015	.30			
. XX	.010	.10			
. XXX	.005	.05			
Draw			Customer P/N		
FANNIE 01/14/09'					
Chek		App'd	Customer: T-RAG		
Engr	Scale	NONE	Units	M/M	Third Angle Projection
	Dwg No.	200-1161	REV: A	Sheet. 2/2	