

Ricoh fi-7300NX ADF scanner 600 x 600 DPI A4 Grey, White

Brand : Ricoh

Product code: PA03768-B001

Product name : fi-7300NX

- Scan from the scanner with touch screen operation
- Various authentication methods for improved efficiency and security
- Scan from your smart device to any business platform
- 3 types of SDKs to suit any environment
- PaperStream NX Manager and Scanner Central Admin for centralized management
- Paper Protection function protects scans from jamming by detecting anomalies in document length and sound

- Manual Feed Mode for scanning folded or bound documents

ADF, Duplex, 600 dpi, 4.3" TFT, USB 3.1 Gen1, LAN, 42 W

Ricoh fi-7300NX. Maximum scan size: 216 x 5588 mm, Optical scanning resolution: 600 x 600 DPI,

Output colour depth: 24 bit. Scanner type: ADF scanner, Product colour: Grey, White, Display: TFT.

Sensor type: Dual CCD, Daily duty cycle (max): 4000 pages, Light source: White LED (2x). Auto

document feeder (ADF) input capacity: 80 sheets. Maximum ISO A-series paper size: A4, Scanning media types supported: Plain paper, Plastic Card, Auto Document Feeder (ADF) media weight: 27 - 413 g/m²



Scanning		Power	
Maximum scan size *	216 x 5588 mm	Power consumption (PowerSave)	2.4 W
Optical scanning resolution *	600 x 600 DPI	Input voltage	100 - 240 V
Colour scanning	✓	Weight & dimensions	
Duplex scanning *	✓	Width	300 mm
Output colour depth	24 bit	Depth	202 mm
Output greyscale depth	8 bit	Height	170 mm
Output monochrome depth	1 bit	Weight	49 kg
Duplex ADF scan speed (colour, A4)	120 ipm	Packaging data	
Black/white scanning colour modes	Grayscale, Monochrome	Quantity per pack	1 pc(s)
Design		Package width	270 mm
Scanner type *	ADF scanner	Package depth	400 mm
Product colour *	Grey, White	Package height	305 mm
Display	TFT	Package weight	7.2 kg
Display diagonal	10.9 cm (4.3")	Packaging content	
Touchscreen	✓	Cables included	AC, USB
Built-in display *	✓	AC adapter included	✓
Performance		ADF paper chute	✓
Sensor type *	Dual CCD	Drivers included	✓
Light source	White LED (2x)	Sustainability	
Daily duty cycle (max) *	4000 pages	Sustainability certificates	ENERGY STAR
Scan drivers	ScanSnap, TWAIN, WIA	System requirements	
Ultrasonic double sheet detection	✓	Minimum storage drive space	120000 MB
Input capacity		Minimum processor	3.5 GHz
Auto document feeder (ADF) input capacity	80 sheets	Paper handling	
Scanning media types supported	Plain paper, Plastic Card	Long-paper mode	✓
Maximum ISO A-series paper size *	A4		

Paper handling		System requirements	
Auto Document Feeder (ADF) media weight	27 - 413 g/m²		Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 IOT Core, Windows 10 Pro, Windows 10 Pro x64, Windows 7, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 7 x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64, Windows 8.1, Windows 8.1 Enterprise, Windows 8.1 Enterprise x64, Windows 8.1 Pro, Windows 8.1 Pro x64, Windows 8.1 x64
Maximum scan width	21.6 cm		
Maximum scan length	5.59 m		
Minimum scan area (ADF)	50.8 x 54 mm		
Ports & interfaces		Windows operating systems supported	
USB port *	✓		
USB version	3.2 Gen 2 (3.1 Gen 2)		
Socket connector type	C5		
Standard interfaces	Ethernet, USB 1.1, USB 2.0, USB 3.2 Gen 1 (3.1 Gen 1), Wireless LAN		
Network			
Wi-Fi	✓		
Wi-Fi standards	802.11a, Wi-Fi 5 (802.11ac), 802.11b, 802.11g, Wi-Fi 4 (802.11n)		
Ethernet LAN	✓		
Supported network protocols	IPv4(15), TCP, UDP, ICMP, DHCP, HTTP/HTTPS, DNS		
Power		Server operating systems supported	Windows Server 2008, Windows Server 2008 x64, Windows Server 2012 R2 x64, Windows Server 2012 x64, Windows Server 2016 x64
Power supply type *	AC		
Power consumption (typical)	42 W		
Power consumption (off)	0.35 W		
Operational conditions			
Operating temperature (T-T)		5 - 35 °C	
Operating relative humidity (H-H)		20 - 80%	
Operating temperature (T-T)		41 - 95 °F	
Other features			
Compliance certificates		RoHS	
Background colours		Black, White	
Logistics data			
Country of origin		Indonesia	
Pallet gross length		121.9 cm	
Pallet gross width		101.6 cm	
Harmonized System (HS) code		8471607000	
Paper packaging weight		2.4 kg	
Metal packaging weight		0 g	
Wood packaging weight		0 g	
Plastic packaging weight		15 g	
Products per pallet (air)		40 pc(s)	
Products per pallet (sea)		60 pc(s)	
Pallet height (sea)		198 cm	
Pallet height (air)		137 cm	
Cardboard packaging weight		1.2 kg	
Foil packaging weight		15 g	
Polystyrene (EPS/EPP) packaging weight		200 g	
Glass packaging weight		0 g	



4939761309632

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.