

Logitech Rally Bar Mini



Brand : Logitech

Product code: 960-001351

Product name : Rally Bar Mini

- Logitech extended guarantee adds one year to the original manufacturer's guarantee which provides that your Logitech Rally Bar Mini hardware shall be free from defects in material and workmanship.

- The purchase of a one year Logitech extended guarantee, at the time of hardware or room solution purchase, adds one additional year to the original Logitech manufacturer's two year limited hardware guarantee.

- Logitech one year extended guarantee is intended to ensure that your Logitech hardware shall be free from defects in material and workmanship for a total of three years.

- The Logitech extended guarantee provides an additional year of coverage that helps protect your investment, maximise its value, and ensure optimal performance of your Logitech conference room hardware.

- A three year guarantee is right in line with the typical depreciation and replacement cycle of most conference room equipment.

Rally Bar Mini

Performance		Logistics data	
Product colour *	White	Master (outer) case gross weight	6.29 kg
Product type *	Group video conferencing system	Master (outer) case length	804 mm
Pan range	-25 - 25°	Master (outer) case width	200 mm
Tilt angle range	-15 - 15°	Master (outer) case height	212 mm
PTZ control	✓	Harmonized System (HS) code	85176990
Video		Battery	
HD type *	4K Ultra HD	Battery capacity	0.675 Wh
Supported video modes	576p, 720p, 900p, 1440p, 2160p	Computer system	
Maximum frame rate	30 fps	Windows operating systems supported	✓
Audio		Mac operating systems supported	MacOS
Built-in speaker(s)	✓	System requirements	
Output level	92/99 dB	Minimum system requirements	Internet Connection: Wired or wireless USB Mode: Windows 11, Windows 10, the two most recent versions of macOS Appliance Mode: Room solution software licence (not included)
Output voltage Total Harmonic Distortion (THD)	2%		
Audio beamforming	✓		
Noise reduction	✓		
Echo cancellation	✓		
RMS rated power	8 W	Operational conditions	
Microphone pick-up range	4.5 m	Operating temperature (T-T)	0 - 40 °C
Sample rates	0 - 48 kHz	Operating relative humidity (H-H)	10 - 95%
Ports & interfaces		Storage temperature (T-T)	-40 - 70 °C
HDMI ports quantity	3	Heat dissipation	64 BTU/h
HDMI output ports quantity	2	Power	
HDMI input ports quantity	1	Power source type	AC
USB connector type	USB Type-A, USB Type-C	AC input voltage	100 - 240 V
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	3	Current	4.754 A
Ethernet LAN (RJ-45) ports	1	DC input voltage	19 V
DC-in jack	✓	Battery technology	Lithium
Microphone in	✓	Battery capacity	220 mAh
Network		Number of batteries supported	1
Ethernet LAN *	✓	Power plug type	Type C
Ethernet LAN data rates	10,100,1000 Mbit/s	Weight & dimensions	
Wi-Fi	✓	Width	719 mm
Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac)	Depth	101 mm
		Height	91.4 mm
		Weight	4.03 kg

Network		Packaging data	
Supported network protocols	IPv4, IPv6	Package width	191 mm
Security algorithms	128-bit AES	Package depth	789 mm
Camera		Package height	199 mm
Zoom capability	✓	Package weight	5.8 kg
Digital zoom	4x	Packaging content	
Horizontal field of view	113°	Cables included	AC, DC, HDMI, USB Type-A to USB Type-C
Vertical field of view	80.7°	Power cable length	2.5 m
Diagonal field of view	120°	HDMI cable length	2 m
Remote control interface	Bluetooth	AC adapter included	✓
Microphone		Remote control included	✓
Microphone sensitivity	-36 dB	Batteries included	✓
Microphone frequency	90 - 16000 Hz	Quick start guide	✓
Microphone direction type	Omnidirectional	Packaging content	Rally Bar Mini Power supply AC power cord HDMI cable USB cable Remote control Lens caps for main lens and AI Viewfinder User documentation
Sound pressure level (max)	90 dB		
Number of microphones	6		
Features			
Telepresence *	✗		



5099206093126



5704174560494

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 30-APR-2026. Prints or copies of Information are only valid on the printed Publication date