

Ernitec 0070-04362IR security camera Dome IP security camera Indoor & outdoor 1920 x 1080 pixels Ceiling/Wall/Pole



Brand : Ernitec

Product code: 0070-04362IR

Product name : 0070-04362IR

- 1080p@ 60fps (2MP)
 - Ultra Wide Dynamic Range 120dB
 - Motorised 2.7-12mm P-Iris Lens
 - Real Time in all Resolutions
 - Multi Codec Support (H.264/H.265)
 - IP67, IK10
 - ONVIF Profile S/ G/ Q/ T support
 - POE (IEEE 802.3af)
 - HDR Engine Gen3
 - 4 year Warranty
- Mercury SX 362IR Dome camera

Ernitec 0070-04362IR security camera Dome IP security camera Indoor & outdoor 1920 x 1080 pixels Ceiling/Wall/Pole:

2.7-12mm Lens 1080P@60fps UWDR Vandal Proof IK10, Auto Focus Motorised P Iris-Lens, IR 45M, Heater POE, 24VAC

Type: IP security camera, Placement supported: Outdoor, Connectivity technology: Wired. Form factor: Dome, Product colour: White, International Protection (IP) code: IP66, IK10. Field of view (FOV) angle: 199° (Wide) ; 31° (Tele). Sensor type: CMOS, Optical sensor size: 1/3" Progressive CMOS. Fixed focal length: 2.7 - 12mm

Performance		Audio	
Type *	IP security camera	Built-in speaker(s)	✗
Placement supported *	Indoor & outdoor	Audio formats supported	G.711
Connectivity technology *	Wired	Network	
Thermal module	✗	Ethernet LAN *	✓
Infrared (IR) cut-off filter	✓	Wi-Fi *	✗
Alarm input/output	✓	Security	
Remote viewing	✓	Alarm input channels	1
Design		Alarm output channels	1
Form factor *	Dome	Temperature sensor	✗
Mounting type *	Ceiling/Wall/Pole	Video motion detection	✓
Product colour *	White	HTTPS encryption	✓
Housing material	Aluminium	Alert notification type	E-mail
International Protection (IP) code	IP66	Management features	
IK code	IK10	Web-based management	✓
Weatherproof	✓	Firmware upgradeable	✓
Country of origin	Taiwan	Reset button	✓
Camera		Power	
Camera pan control	✗	Power source type *	DC, PoE
Field of view (FOV) angle	199°	Power consumption (Power over Ethernet (PoE))	12.95 W
Camera shutter speed	1~1/10.000 s	Power over Ethernet (PoE)	✓
Adjustment shutter speed	Auto/Manual	Operational conditions	
Image sensor		Operating temperature (T-T)	-30 - 55 °C
Optical sensor size	25.4 / 3 mm (1 / 3")	Storage relative humidity (H-H)	10 - 90%
Progressive scan	✓	Weight & dimensions	
Sensor type *	CMOS	Width	140 mm
Number of effective pixels (H x V)	1920 x 1080 pixels	Depth	140 mm
Lens system			
Number of lenses *	1		

Lens system		Weight & dimensions	
Focal length range	2.7 - 12 mm	Height	140 mm
Auto focus	✓	Weight	1 kg
Night vision		Packaging data	
Night vision *	✓	Package width	180 mm
Night vision distance	45 m	Package depth	175 mm
B/W night vision distance	45 m	Package height	174 mm
		Package weight	1.1 kg
Video		Packaging content	
Maximum resolution *	1920 x 1080 pixels	Number of cameras *	1
Total megapixels *	2 MP	Sun shield included	✗
Video compression formats	H.264, H.265, M-JPEG	AC adapter included	✗
Frame rate	50 fps		
Analog signal format system	Not supported		
Video streaming	✓		
3D NR (Noise Reduction)	✓		
Flip & mirror	✓		
Privacy masking	✓		
Time stamp overlay	✓		
Text caption overlay	✓		
Bit rate control	Constant Bit Rate (CBR)/Variable Bit Rate (VBR)		
		Other features	
		Audio output	Yes
		IR control	Auto
		Technical details	
		Audio input	Yes
		Power source	DC,PoE
		Lens type	Varifocal
		Number of video streams	4
		Removable IR-cut filter	✓
		Suitable for outdoor use	✓



5704174261605

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.