

## Viewsonic VA3820C computer monitor 96.5 cm (38") 3840 x 1600 pixels Wide Quad HD+ LED Black



**Brand :** Viewsonic

**Product code:** VA3820C

**Product name :** VA3820C

- Integrated USBC workstation offers audiovisual and data transfer, and 96W power delivery
- USB 3.2 hub with 1 upstream, 2 downstream ports, HDMI, and DisplayPort inputs for easy connectivity
- 21:9 ultrawide screen with UWQHD+ 3840 x 1600 resolution
- 2300R Curved panel
- Height adjustable swivel stand with tilt function

38" UWQHD+ 21:9 Curved Monitor with USB-C Hub

Viewsonic VA3820C. Display diagonal: 96.5 cm (38"), Display resolution: 3840 x 1600 pixels, HD type: Wide Quad HD+, Display technology: LED, Response time: 4.785 ms, Native aspect ratio: 21:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). Built-in USB hub. VESA mounting, Height adjustment. Product colour: Black

| Display                             |                               | Ports & interfaces                        |              |
|-------------------------------------|-------------------------------|-------------------------------------------|--------------|
| Display diagonal *                  | 96.5 cm (38")                 | DisplayPorts quantity                     | 1            |
| Display resolution *                | 3840 x 1600 pixels            | Audio output                              | ✓            |
| HD type *                           | Wide Quad HD+                 | HDCP                                      | ✓            |
| Native aspect ratio *               | 21:9                          | HDCP version                              | 2.2          |
| Display technology *                | LED                           | <b>Ergonomics</b>                         |              |
| Panel type *                        | IPS                           | VESA mounting *                           | ✓            |
| Touchscreen *                       | ✗                             | Panel mounting interface                  | 100 x 100 mm |
| Display brightness (typical)        | 300 cd/m²                     | Cable lock slot *                         | ✓            |
| Response time *                     | 4.785 ms                      | Cable lock slot type                      | Kensington   |
| Response time measurement type      | GTG (Gray to Gray)            | Height adjustment *                       | ✓            |
| Anti-glare screen                   | ✓                             | Adjustable height (max)                   | 13 cm        |
| Screen shape *                      | Curved                        | Swivelling                                | ✓            |
| Screen curvature rating             | 2300R                         | Swivel angle range                        | -30 - 30°    |
| Contrast ratio (typical) *          | 2000:1                        | Tilt adjustment                           | ✓            |
| Contrast ratio (dynamic)            | 50000000:1                    | Tilt angle range                          | -15 - 15°    |
| Maximum refresh rate *              | 75 Hz                         | <b>Power</b>                              |              |
| Viewing angle, horizontal           | 178°                          | Energy efficiency class (SDR) *           | F            |
| Viewing angle, vertical             | 178°                          | Energy efficiency class (HDR) *           | G            |
| Display number of colours *         | 1.07 billion colours          | Energy consumption (SDR) per 1000 hours * | 34 kWh       |
| Pixel pitch                         | 0.229 x 0.229 mm              | Energy consumption (HDR) per 1000 hours * | 41 kWh       |
| High Dynamic Range (HDR) supported  | ✓                             | Power consumption (typical) *             | 32 W         |
| High Dynamic Range (HDR) technology | High Dynamic Range 10 (HDR10) | Power consumption (standby) *             | 0.5 W        |
| Surface hardness                    | 3H                            | Power consumption (max)                   | 39 W         |
| Colour depth                        | 10 bit                        | AC input voltage                          | 100 - 240 V  |
| Colour gamut standard               | DCI-P3                        | Power supply type                         | External     |
| Colour gamut                        | 98%                           | Energy efficiency scale                   | A to G       |
| sRGB coverage (typical)             | 100%                          | <b>Operational conditions</b>             |              |
| NTSC coverage (typical)             | 95%                           | Operating temperature (T-T)               | 0 - 40 °C    |
| <b>Performance</b>                  |                               | Operating relative humidity (H-H)         | 20 - 90%     |
| NVIDIA G-SYNC *                     | ✗                             | <b>Weight &amp; dimensions</b>            |              |
| AMD FreeSync *                      | ✗                             | Width (with stand)                        | 897.5 mm     |
| Flicker-free technology             | ✓                             | Depth (with stand)                        | 237.8 mm     |
| Low Blue Light technology           | ✓                             | Weight (with stand)                       | 9.4 kg       |
| <b>Multimedia</b>                   |                               | Width (without stand)                     | 897.5 mm     |
| Number of speakers                  | 2                             | Depth (without stand)                     | 105.9 mm     |
| RMS rated power                     | 5 W                           |                                           |              |

| Multimedia                                   |            | Weight & dimensions              |            |
|----------------------------------------------|------------|----------------------------------|------------|
| Built-in speaker(s) *                        | ✓          | Height (without stand)           | 398.5 mm   |
| Built-in camera *                            | ✗          | Weight (without stand)           | 7.2 kg     |
| Design                                       |            | Packaging data                   |            |
| Market positioning *                         | Business   | Package width                    | 1150 mm    |
| Product colour *                             | Black      | Package depth                    | 190 mm     |
| Ports & interfaces                           |            | Package height                   | 525 mm     |
| Built-in USB hub *                           | ✓          | Package weight                   | 13.3 kg    |
| USB upstream port type                       | USB Type-B | Other features                   |            |
| Number of USB Type-B upstream ports quantity | 1          | Weight                           | 9.4 kg     |
| USB Type-A downstream ports quantity         | 2          | Logistics data                   |            |
| USB Type-C DisplayPort Alternate Mode        | ✓          | Products per master (outer) case | 1 pc(s)    |
| HDMI *                                       | ✓          | Pallet gross width               | 120 cm     |
| HDMI ports quantity                          | 2          | Pallet gross length              | 100 cm     |
| HDMI version                                 | 2.0        | Pallet gross height              | 2.24 m     |
|                                              |            | Harmonized System (HS) code      | 8528521000 |



0766907032567



766907032567

### Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.