



DELL SE2425HG computer monitor 61 cm (24") 1920 x 1080 pixels Full HD LCD Black

Brand : DELL

Product code: DELL-SE2425HG

Product name : SE2425HG

- 61.0cm (24") Full HD 1920 x 1080 Edge LED IPS
- 5ms, 16:9, 300cd/m², 1000:1
- HDMI, DisplayPort
- 61.0cm (24") Full HD 1920 x 1080 Edge LED IPS, 16:9, 300cd/m², 16.7M, 5ms, 178°/178°, 1000:1

DELL SE2425HG computer monitor 61 cm (24") 1920 x 1080 pixels Full HD LCD Black:

Perfect for all your entertainment and light gaming, this 24-inch FHD monitor features a high 200Hz refresh rate, fast IPS panel and built-in ComfortView Plus.

DELL SE2425HG. Display diagonal: 61 cm (24"), Display resolution: 1920 x 1080 pixels, HD type: Full HD, Display technology: LCD, Response time: 5 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. VESA mounting. Product colour: Black



Display		Ports & interfaces	
Display diagonal *	61 cm (24")	Headphone out *	✓
Display resolution *	1920 x 1080 pixels	Headphone connectivity	3.5 mm
HD type *	Full HD	Ergonomics	
Native aspect ratio *	16:9	VESA mounting *	✓
Display technology *	LCD	Panel mounting interface	100 x 100 mm
Panel type *	IPS	Cable management	✓
LED backlight	✓	Cable lock slot *	✓
Backlight type	Edge LED	Cable lock slot type	Kensington
Touchscreen *	✗	Height adjustment *	✗
Display brightness (typical)	300 cd/m ²	Tilt adjustment	✓
Response time *	5 ms	Tilt angle range	-5 - 21°
Response time measurement type	GTG (Gray to Gray)	On Screen Display (OSD)	✓
Anti-glare screen	✓	Plug and Play	✓
Screen shape *	Flat	LED indicators	✓
Supported graphics resolutions	640 x 480 (VGA), 720 x 400, 800 x 600 (SVGA), 1024 x 768 (XGA), 1152 x 864 (XGA+), 1280 x 1024 (SXGA), 1280 x 800, 1680 x 1050 (WSXGA+), 1920 x 1080 (HD 1080)	Power	
	480p, 576p, 720p, 1080p	Energy efficiency class (SDR) *	E
Supported video modes	480p, 576p, 720p, 1080p	Energy efficiency class (HDR) *	G
Contrast ratio (typical) *	1000:1	Energy consumption (SDR) per 1000 hours *	16 kWh
Maximum refresh rate *	200 Hz	Energy consumption (HDR) per 1000 hours *	24 kWh
Viewing angle, horizontal	178°	Power consumption (typical) *	15.6 W
Viewing angle, vertical	178°	Power consumption (standby) *	0.5 W
Display number of colours *	16.7 million colours	Power consumption (max)	38 W
Response time (fast)	3 ms	Power consumption (off)	0.3 W
Pixel pitch	0.2745 x 0.2745 mm	AC input voltage	100 - 240 V
Pixel density	93 ppi	AC input frequency	50/60 Hz
Viewable size, horizontal	52.7 cm	Input current	0.8 A
Viewable size, vertical	29.6 cm		

Display		Power	
Viewable size diagonal	60.5 cm	Power supply type	Internal
Digital horizontal frequency	30 - 238 kHz	Energy efficiency scale	A to G
Digital vertical frequency	48 - 120 Hz	Operational conditions	
Display diagonal (metric)	60.47 cm	Operating temperature (T-T)	0 - 40 °C
Surface hardness	3H	Storage temperature (T-T)	-20 - 60 °C
sRGB coverage (typical)	99%	Operating relative humidity (H-H)	10 - 80%
Response time (extreme)	1 ms	Storage relative humidity (H-H)	5 - 90%
Performance		Operating altitude	0 - 5000 m
NVIDIA G-SYNC *	✗	Non-operating altitude	0 - 12192 m
AMD FreeSync *	✓	Weight & dimensions	
AMD FreeSync type	FreeSync	Width (with stand)	538.8 mm
Flicker-free technology	✓	Depth (with stand)	188 mm
Low Blue Light technology	✓	Height (with stand)	412.3 mm
Smart modes	FPS, MOBA/RTS, RPG, Sports	Weight (with stand)	2.95 kg
Windows operating systems supported	✓	Width (without stand)	538.8 mm
Mac operating systems supported	✓	Depth (without stand)	47.2 mm
Multimedia		Height (without stand)	317.1 mm
Built-in speaker(s) *	✗	Weight (without stand)	2.62 kg
Built-in camera *	✗	Bezel width (side)	5.9 mm
Design		Bezel width (top)	5.9 mm
Market positioning *	Gaming	Bezel width (bottom)	1.47 cm
Product colour *	Black	Packaging data	
Front bezel colour	Black	Package weight	4.53 kg
Detachable stand	✓	Packaging content	
Feet colour	Black	Stand included	✓
Ports & interfaces		Cables included	HDMI
Built-in USB hub *	✗	HDMI cable length	1.8 m
HDMI *	✓	Sustainability	
HDMI ports quantity	2	Doesn't contain	Arsenic, Mercury, PVC/BFR
HDMI version	2.1	Other features	
DisplayPorts quantity	1	Compliance certificates	RoHS
DisplayPort version	1.4		



5397184962893

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.