

j5create JUH340 USB 3.0 4-Port Hub

Brand : j5create

Product code: JUH340-N

Product name : JUH340 USB 3.0 4-Port Hub

- USB™ 3.0 Super Speed, 10 times faster transfer rate (5 Gbps) and backwards compatible with USB™ 2.0 and 1.0 specifications
 - Extends your device by 4 USB™ 3.0 ports with only one plug
 - Elegant, compact aluminum housing that is non-toxic and recyclable
 - Supports fast charging for smart phones, tablets and iPad® up to 2.1A
 - Supports USB™ bus-powered or DC self-powered USB™ devices
- JUH340 USB 3.0 4-Port Mini HUB - EU/UK, Black

[j5create JUH340 USB 3.0 4-Port Hub:](#)

The JUH340 high-performance USB™ 3.0 4-Port Hub allows up to four USB™ 3.0 devices to be connected simultaneously at a transmission speed of 5 Gbps, while still providing connectivity and support for USB™ 2.0 (480 Mbps) and 1.1 (12 Mbps) devices. It works with high-bandwidth SuperSpeed USB™ 3.0 devices, such as external disk drives, high-resolution webcams, video surveillance cameras, digital video cameras, multi-channel audio and more. In addition, it supports fast charging for smart phones, tablets and iPad®.



Ports & interfaces		Packaging data	
Host interface *	USB 3.2 Gen 1 (3.1 Gen 1) Micro-B	Package type	Box
Hub interfaces *	USB 3.2 Gen 1 (3.1 Gen 1) Type-A	Packaging content	
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	4	AC adapter included	✓
Ports quantity *	4	Cables included	USB
Card reader integrated	✗	Quick installation guide	✓
DC-in jack	✓	Quick start guide	✓
Features		Packaging content	1 x JUH340 USB™ 3.0 4-Port Hub, 1 x USB™ 3.0 cable, 1 x Power Adapter, 1 x Quick Installation Guide
Data transfer rate *	5000 Mbit/s	Operational conditions	
Product colour	Black	Minimum operating temperature	0 °C
Housing material	Aluminium	Maximum operating temperature	40 °C
Cable length	0.6 m	Operating temperature (T-T)	0 - 40 °C
Plug and Play	✓	Performance	
Country of origin	Taiwan	Export Control Classification Number (ECCN)	EAR99
Compatible products	Devices with available USB™ port	Commodity Classification Automated Tracking System (CCATS)	8471.80.0000
Power		Logistics data	
Power source type	AC	Master (outer) case width	280 mm
Power consumption (typical)	20 W	Master (outer) case length	430 mm
Input voltage	110 - 240 V	Master (outer) case height	235 mm
AC input frequency	50 - 60 Hz	Master (outer) case gross weight	6.74 kg
Output voltage	5 V	Products per master (outer) case	18 pc(s)
Output current	0.5 A	Master (outer) case GTIN (EAN/UPC)	24712795080272
USB powered	✓	Shipping (inner) case width	21.2 cm
System requirements			
Windows operating systems supported	✓		
Mac operating systems supported	✓		

System requirements		Logistics data	
Linux operating systems supported		Shipping (inner) case length	26.9 cm
		Shipping (inner) case height	13 cm
Weight & dimensions		Shipping (inner) case gross weight	2.19 kg
Width	88 mm	Products per shipping (inner) case	6 pc(s)
Depth	14.8 mm	Technical details	
Height	32.8 mm	Box contents	1 x JUH340 USB™ 3.0 4-Port Hub, 1 x USB™ 3.0 cable, 1 x Power Adapter, 1 x Quick Installation Guide
Weight	38.2 g		
Packaging data		Warranty period	2 year(s)
Quantity per pack	1 pc(s)		
Package width	193 mm		
Package depth	125 mm		
Package height	42 mm		
Package weight	339.5 g		




0847626000355



847626000355



4712795080278



(01)24712795080272

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.