

Logitech USB Headset Mono H650e

Brand : Logitech

Product code: 981-000514

Product name : USB Headset Mono H650e

- In-call LED red-light indicator
- Quick-access inline controller
- Optimized for Microsoft® Lync™; Compatible with most leading UC platforms
- Flat no-tangle cable
- Acoustic echo cancelation and noise-cancelling microphone

USB Headset Mono H650e

Logitech USB Headset Mono H650e. Product type: Headset. Connectivity technology: Wired.

Recommended usage: Office/Call center. Headphone frequency: 50 - 10000 Hz. Cable length: 2.1 m.

Weight: 93 g. Product colour: Black, Silver



Performance		Weight & dimensions	
Product type *	Headset	Width	174 mm
Wearing style *	Head-band	Depth	50 mm
Recommended usage *	Office/Call center	Height	165 mm
Headset type *	Monaural	Weight	93 g
Product colour *	Black, Silver	Packaging data	
Operating keys	Answer/end call, Mute, Volume +, Volume -	Package width	185.3 mm
Volume control	Button	Package depth	202.5 mm
Control unit type	In-line control unit	Package height	62.5 mm
Control type	Buttons	Package weight	175 g
Cable length	2.1 m	Packaging content	
Sound pressure level (max)	100 dB	Quick start guide	✓
Ports & interfaces		Warranty card	✓
Connectivity technology *	Wired	Pouch	✓
USB connectivity	✓	Quantity	1
USB connector	USB Type-A	Logistics data	
Headphones		Harmonized System (HS) code	85183000
Ear coupling *	Supraaural	Master (outer) case width	194 mm
Headphone frequency	50 - 10000 Hz	Master (outer) case length	412 mm
Headphone sensitivity	90 dB	Master (outer) case height	196 mm
Total Harmonic Distortion (THD)	4%	Master (outer) case gross weight	3 kg
Microphone		Other features	
Microphone type *	Boom	Other operating systems supported	Linux
Microphone frequency	100 - 10000 Hz	Operation voltage range	1.4 - 5 V
Microphone sensitivity	-45 dB	Distortion	10%

Microphone		Other features	
Microphone direction type	Bidirectional microphone		Windows Vista, Windows 7 or Windows 8 (32-bit or 64-bit) / Mac OS 10.7 or higher / Linux / Available USB port
Folding microphone	✓	Minimum system requirements	
Microphone noise-canceling	✓	Digital Signal Processing (DSP)	✓
Microphone mute	✓		
System requirements		Packaging content	H650e headset Carrying bag Quick start guide and warranty information
Windows operating systems supported	✓		
Mac operating systems supported	✓		



5099206041189

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 01-MAY-2026. Prints or copies of Information are only valid on the printed Publication date