



Lenovo ThinkSystem SR630 V2 server 960 GB Rack (1U) Intel Xeon Silver 4309Y 2.8 GHz 32 GB DDR4-SDRAM 750 W



Brand : Lenovo

Product family: ThinkSystem

Product code: 7Z71A068EA

Product name : SR630 V2

- No OS
- Intel Xeon Silver 4309Y (12MB Cache, 2.8GHz)
- 32GB (3200MHz) DDR4-SDRAM (1 x 32) & 960GB SSD
Intel Xeon Silver 4309Y (12MB Cache, 2.8GHz), 32GB DDR4-SDRAM (3200MHz), 960GB SSD, LAN, 750W, No OS

Lenovo ThinkSystem SR630 V2 server 960 GB Rack (1U) Intel Xeon Silver 4309Y 2.8 GHz 32 GB DDR4-SDRAM 750 W:


Built for business, with business-critical versatility

The versatile, highly reliable 1U ThinkSystem SR630 V2 2P rack server is designed to handle hybrid data center workloads, from IT infrastructure and HPC to cloud and hyperconverged.

Lenovo ThinkSystem SR630 V2. Processor family: Intel Xeon Silver, Processor frequency: 2.8 GHz, Processor model: 4309Y. Internal memory: 32 GB, Internal memory type: DDR4-SDRAM, Memory layout (slots x size): 1 x 32 GB. Total storage capacity: 960 GB. Ethernet LAN. Power supply: 750 W, Redundant power supply (RPS) support. Chassis type: Rack (1U)

Processor		Design	
Processor manufacturer *	Intel	Product colour	Black
Processor family *	Intel Xeon Silver	Rack mounting	✓
Processor model *	4309Y	Redundant fans support	✓
Processor frequency *	2.8 GHz	Performance	
Processor boost frequency	3.6 GHz	Performance management	XClarity Enterprise
Processor cache	12 MB	Noise level	56 dB
Number of processors installed	1	BIOS type	UEFI
Maximum number of SMP processors	2	Trusted Platform Module (TPM)	✓
Memory		Trusted Platform Module (TPM) version	2.0
Internal memory *	32 GB	Software	
Internal memory type *	DDR4-SDRAM	Operating system installed *	✗
Memory slots	32x DIMM	Compatible operating systems *	
ECC	✓		
Memory clock speed	3200 MHz	Microsoft Windows Server 2016 Microsoft Windows Server 2019 Microsoft Windows Server 2022 Red Hat Enterprise Linux 7.9 Red Hat Enterprise Linux 8.2 Red Hat Enterprise Linux 8.3 SUSE Linux Enterprise Server 12 SP5 SUSE Linux Enterprise Server 12 Xen SP5 SUSE Linux Enterprise Server 15 SP2 SUSE Linux Enterprise Server 15 Xen SP2 VMware ESXi 6.7 U3 VMware ESXi 7.0 U2	
Memory layout (slots x size)	1 x 32 GB		
Storage		Power	
Total storage capacity *	960 GB	Redundant power supply (RPS) support *	✓
Number of SSDs installed	2	Power supply *	750 W
SSD capacity	480 GB	Number of redundant power supplies supported	2
Optical drive type *	✗	Operational conditions	
Graphics		Storage temperature (T-T)	-40 - 60 °C
Maximum graphics card memory	16 MB	Storage relative humidity (H-H)	8 - 90%
Network		Weight & dimensions	
Wake-on-LAN ready	✓	Width	440 mm
Ethernet LAN	✓		
Ports & interfaces			
USB 2.0 ports quantity	1		
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	4		
VGA (D-Sub) ports quantity	1		

Design		Weight & dimensions	
Chassis type *	Rack (1U)	Depth	773 mm
		Height	43 mm



5054444533810

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.