

Viewsonic PG706HD data projector Standard throw projector 4000 ANSI lumens DMD 1080p (1920x1080) White

Brand : Viewsonic

Product code: PG706HD

Product name : PG706HD

4000 ANSI, 16:9, 245W, 10W RMS, 312x222x108mm, 2.8kg, White

Viewsonic PG706HD. Projector brightness: 4000 ANSI lumens, Projection technology: DMD, Projector native resolution: 1080p (1920x1080). Light source type: Lamp, Service life of light source: 4000 h, Service life of light source (economic mode): 20000 h. Focus: Manual, Focal length range: 15.843 - 17.445 mm, Aperture range (F-F): 2 - 2.05. Analog signal format system: NTSC, PAL, SECAM, Supported graphics resolutions: 640 x 480 (VGA), 1920 x 1200 (WUXGA), Supported video modes: 480i, 480p, 576i, 576p, 720p, 1080i, 1080p. Serial interface type: RS-232, HDMI connector type: Full-size



Projector		Network	
Screen size compatibility *	762 - 7620 mm (30 - 300")	Ethernet LAN (RJ-45) ports	1
Projection distance	1 - 10.96 m	Wi-Fi *	×
Projector brightness *	4000 ANSI lumens	Storage	
Projection technology *	DMD	Card reader integrated *	×
Projector native resolution *	1080p (1920x1080)	Features	
Contrast ratio (typical) *	12000:1	Interactive *	×
Number of colours	1.07 billion colours	Noise level (economic mode)	27 dB
Horizontal scan range	15 - 102 kHz	HDCP	✓
Vertical scan range	23 - 120 Hz	On Screen Display (OSD)	✓
Keystone correction, horizontal	-40 - 40°	On Screen Display (OSD) languages	Arabic, Simplified Chinese, Traditional Chinese, Czech, German, Dutch, English, Spanish, Finnish, French, Greek, Indonesian, Italian, Japanese, Korean, Polish, Portuguese, Russian, Swedish, Thai, Turkish, Vietnamese
Keystone correction, vertical	-40 - 40°		
Matrix size	1.19 cm (0.47")	Number of OSD languages	20
Light source		Noise level *	32 dB
Light source type *	Lamp	Multimedia	
Service life of light source *	4000 h	Built-in speaker(s) *	✓
Service life of light source (economic mode)	20000 h	RMS rated power	10 W
Lamp power	245 W	Design	
Lamps quantity	1 lamp(s)	Market positioning *	Presentation
Lens system		Product type *	Standard throw projector
Focus *	Manual	Product colour *	White
Focal length range	15.843 - 17.445 mm	Placement	Desktop, Ceiling
Aperture range (F-F)	2 - 2.05		
Zoom capability	✓		
Zoom ratio	2.0:1		
Throw ratio	1.5-1.65		
Offset	110%		

Video		Display	
Analog signal format system *	NTSC, PAL, SECAM	Built-in display *	✗
Full HD *	✓	Power	
Supported graphics resolutions	640 x 480 (VGA), 1920 x 1200 (WUXGA)	Power source *	AC
Supported video modes	480i, 480p, 576i, 576p, 720p, 1080i, 1080p	Power consumption (typical) *	355 W
Ports & interfaces		Power consumption (standby) *	0.5 W
HDMI connector type	Full-size	AC input voltage	100-240 V
HDMI version	1.4	AC input frequency	50 - 60 Hz
S-Video inputs quantity	1	Operational conditions	
USB 2.0 ports quantity	1	Operating temperature (T-T)	0 - 40 °C
Serial interface type *	RS-232	Weight & dimensions	
PC Audio in	✓	Width	312 mm
PC Audio out	✓	Depth	222 mm
VGA (D-Sub) ports quantity *	2	Height	108 mm
HDMI ports quantity *	2	Weight *	2.79 kg
Composite video in *	1	Package width	415 mm
DVI port *	✗	Package depth	168 mm
AC (power) in	✓	Package height	297 mm
Network		Package weight	3.95 kg
Smart TV *	✗	Packaging content	
Ethernet LAN *	✓	Remote control included *	✓
		Cables included	AC, VGA
		Manual	✓
		Logistics data	
		Pallet gross length	83.4 cm
		Pallet gross width	100.8 cm
		Pallet gross height	2.2 m
		Products per master (outer) case	1 pc(s)
		Harmonized System (HS) code	8528620000



0766907001792



766907001792

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.