



InLine 76660I interface cards/adapters Internal USB Type-C

Brand : InLine

Product code: 76660I

Product name : 76660I

- Connection
- 1x USB-C socket
Specification
- USB 3.2 Gen.2x2 with up to 20 Gb/s PCIe 3.0 x4 interface - compatible with x4, x8 and x16 slots
ASMedia ASM3242 chipset for high performance and stability
Supports UASP (USB Attached SCSI Protocol) for optimized data transfer
Plug & Play functionality - no driver required
interface card, PCIe x4, 1x USB-C socket, USB 3.2 Gen.2x2
InLine 76660I. Host interface: PCIe, Output interface: USB Type-C, Host interface gender: Male. Country of origin: Taiwan. Chipset: ASMedia ASM3242, Connector 1 gender: Female, Data transfer rate (max): 20 Gbit/s. Output voltage: 5 V, Output current: 3 A. Windows operating systems supported: Windows 10, Windows 11, Windows 7, Windows 8, Mac operating systems supported: Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks, Mac OS X 11.0 Big Sur, Mac OS X 12.0..., Linux operating systems supported: Kernel 2.6.31, Kernel 2.6.33, Kernel 3.12, Kernel 3.17, Kernel 3.3, Kernel 4.6.4, Linux Kernel...



Ports & interfaces		Operational conditions	
Host interface *	PCIe	Operating relative humidity (H-H)	0 - 90%
Host interface gender	Male	System requirements	
Output interface *	USB Type-C	Windows operating systems supported	Windows 10, Windows 11, Windows 7, Windows 8
Expansion card form factor	Low-profile	Mac operating systems supported	Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks, Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey, Mac OS X 13.0 Ventura, Mac OS X 14.0 Sonoma, Mac OS X 15.0 Sequoia
Expansion card standard	PCIe 3.0		Kernel 2.6.31, Kernel 2.6.33, Kernel 3.12, Kernel 3.17, Kernel 3.3, Kernel 4.6.4, Linux Kernel 5.10, Linux Kernel 5.11, Linux Kernel 5.12, Linux Kernel 5.13, Linux Kernel 5.14, Linux Kernel 5.15, Linux Kernel 5.19, Linux Kernel 5.4, Linux Kernel 5.8, Linux Kernel 5.9, Linux Kernel 6.2, Linux Kernel 6.5
USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity	1	Linux operating systems supported	Windows Server 2008 R2, Windows Server 2016, Windows Server 2019, Windows Server 2021
Design		Technical details	
Internal *	✓	Compliance certificates	TÜV mark, Federal Communications Commission (FCC), CE
Country of origin	Taiwan	Weight & dimensions	
Features		Width	79 mm
Chipset	ASMedia ASM3242	Depth	51 mm
Connector 1 gender	Female	Weight	35 g
Data transfer rate (max)	20 Gbit/s	Packaging data	
UASP support	✓	Mounting brackets included	✓
Plug and Play	✓		
Power			
Output voltage	5 V		
Output current	3 A		
Operational conditions			
Operating temperature (T-T)	0 - 85 °C		
Storage temperature (T-T)	-25 - 85 °C		

Packaging data

Manual	✓
Package weight	35 g
Package type	Hanging box



4043718341504

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.