



TerraMaster D5 Thunderbolt 3 disk array 0 TB Desktop Grey

Brand : TerraMaster

Product code: D5-THUNDERBOLT3

Product name : D5 Thunderbolt 3

5 x 3.5"/2.5" SATA HDD/SSD, 40Gb Thunderbolt 3 x 2, DP 1.2 x 1, 227 x 225 x 176 mm
TerraMaster D5 Thunderbolt 3. Total installed storage capacity: 0 TB. Chassis type: Desktop. Number of storage drives supported: 5, Supported storage drive types: HDD & SSD, Supported storage drive interfaces: Serial ATA, Storage drive sizes supported: 2.5,3.5". Width: 225 mm, Depth: 176 mm, Height: 227 mm, Weight: 2.3 kg. Product colour: Grey



Storage		Power	
Storage drives installed *	✗	Power supply unit (PSU) capacity	120 W
Installed storage drive type *	✗	Number of power supply units	1
Total installed storage capacity *	0 TB	Power consumption (typical)	76.8 W
Supported storage drive types *	HDD & SSD	AC input voltage	100-240 V
Number of storage drives supported *	5	AC input frequency	50 - 60 Hz
Maximum supported storage capacity *	80 TB	DC output voltage	12 V
Supported storage drive interfaces	Serial ATA	System requirements	
Storage drive sizes supported	2.5,3.5"	Mac compatibility	✓
RAID levels	0, 1, 5, 10, JBOD	Mac operating systems supported	macOS
Data transfer rate	40 Gbit/s	Windows operating systems supported	✓
Hot-swap drive bays	✓	Weight & dimensions	
Ports & interfaces		Width	225 mm
USB connectivity	✗	Depth	176 mm
Thunderbolt technology	✓	Height	227 mm
Thunderbolt ports quantity	2	Weight	2.3 kg
Thunderbolt version	3	Packaging data	
DisplayPorts quantity	1	Package width	275 mm
DisplayPort version	1.2	Package depth	210 mm
Design		Package height	300 mm
Chassis type *	Desktop	Package weight	3.5 kg
Product colour	Grey	Packaging content	
LED indicators	HDD, Power	Cables included	AC, Thunderbolt
Number of fans	2 fan(s)	Number of adapters included	1 pc(s)
Noise level	19.8 dB	Screws included	✓
Fan diameter	8 cm	Operational conditions	
Built-in display	✗	Operating temperature (T-T)	5 - 40 °C

Design

Certification CE, FCC, CCC, KC

Operational conditions

Operating relative humidity (H-H) 5 - 95%
Storage temperature (T-T) -20 - 60 °C

Other features

Compliance certificates RoHS



6939236139144

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.