


DELTA switch device insert FM, Intermediate switch 10 A 250 V



Model	
Product brand name	DELTA
Type of installation switch / rotary switch	No
Type of light source	Without lighting
Type of composition	basic element
Design of the operating mechanism	rocker/button
General technical data	
Type of switch	intermediate switch
Mounting type	fixing with claw and screw
Surface processing	others
Material	others
Protection class	
Protection class IP	IP20
Switching capacity	
Switching capacity current	10 A
Electricity	
Switching current / for fluorescent lamps	10 A

Main circuit	
Operating voltage / Rated value	250 V
Operating current / rated value	10 A

Appearance	
Appearance	not applicable
Color	miscellaneous

Product details	
Product component	
• Labeling field	No
• Signaling contact	No
• Pushbutton switch	No
Product feature / halogen-free	Yes

Number	
Number of actuating rockers	1

Connections	
Type of electrical connection	Plug-in terminal

Mechanical Design	
Height	70 mm
Mounting type	flush mounted
Material / of the enclosure	metal

General Product Approval	Declaration of Conformity	Test Certificates
--------------------------	---------------------------	-------------------



ÖVE



VDE



EG-Konf.

[Type Test Certificates/Test Report](#)

[Miscellaneous](#)

Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5TA2117>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/5TA2117>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5TA2117

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>

