

**MSI MPG 321CURXDE QD-OLED computer monitor 80 cm (31.5")
3840 x 2160 pixels 4K Ultra HD Black**

Brand : MSI

Product code: MPG 321CURXDE QD-OLED

Product name : MPG 321CURXDE QD-OLED

- 80.0cm (31.5") 4K Ultra HD 3840 x 2160
- 0.05ms, 16:9, 250cd/m², 150000:1
- USB, HDMI, DisplayPort

80.0cm (31.5") 4K Ultra HD 3840 x 2160, 16:9, 250cd/m², 1.07B, 0.05ms, 178°/178°, 150000:1

MSI MPG 321CURXDE QD-OLED computer monitor 80 cm (31.5") 3840 x 2160 pixels 4K Ultra HD Black:

Visualize your victory with the MPG 321URX QD-OLED gaming monitor. It boasts a 3840x2160 (UHD) next-gen QD-OLED panel, 240Hz refresh rate, and rapid 0.03ms(GtG) response time. VESA certification for ClearMR 13000 and DisplayHDR True Black 400 ensures exceptionally vivid images and mitigates motion blur. OLED Care 2.0 reduces OLED burn-in risks. For console gamers, the MPG 321URX QD-OLED provide HDMI 2.1 ports with 48Gbps bandwidth, 120Hz support, VRR, and ALLM.

MSI MPG 321CURXDE QD-OLED. Display diagonal: 80 cm (31.5"), Display resolution: 3840 x 2160 pixels, HD type: 4K Ultra HD, Display technology: QD-OLED, Response time: 0.05 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in USB hub. VESA mounting, Height adjustment. Product colour: Black



Display		Ports & interfaces	
Display diagonal *	80 cm (31.5")	USB Type-C downstream ports quantity	1
Display resolution *	3840 x 2160 pixels	USB Type-C DisplayPort Alternate Mode	✓
HD type *	4K Ultra HD	HDMI *	✓
Native aspect ratio *	16:9	HDMI ports quantity	2
Display technology *	QD-OLED	HDMI version	2.1
Touchscreen *	✗	DisplayPorts quantity	1
Display brightness (typical)	250 cd/m²	DisplayPort version	1.4a
Response time *	0.05 ms	Headphone out *	✓
Response time measurement type	GTG (Gray to Gray)	Headphone outputs	1
Response time (MPRT)	0.03 ms		
Anti-glare screen	✓		
Screen shape *	Flat	Ergonomics	
Supported graphics resolutions	3860 x 2160	VESA mounting *	✓
Supported video modes	2160p	Panel mounting interface	100 x 100 mm
Aspect ratio	16:9	Cable lock slot *	✓
Contrast ratio (typical) *	150000:1	Cable lock slot type	Kensington
Maximum refresh rate *	240 Hz	Height adjustment *	✓
Viewing angle, horizontal	178°	Adjustable height (max)	11 cm
Viewing angle, vertical	178°	Pivot	✓
Display number of colours *	1.07 billion colours	Pivot angle	-10 - 10°
Pixel pitch	0.1814 x 0.1814 mm	Swivelling	✓
Horizontal scan range	104.88 - 565.44 kHz	Swivel angle range	-30 - 30°
Vertical scan range	48 - 240 Hz	Tilt adjustment	✓
Viewable size, horizontal	69.9 cm	Tilt angle range	-5 - 15°
Viewable size, vertical	39.5 cm		
Display diagonal (metric)	80 cm	Power	
High Dynamic Range (HDR) supported	✓	Energy efficiency class (SDR) *	G
		Energy efficiency class (HDR) *	G

Display		Power	
High Dynamic Range (HDR) technology	DisplayHDR 400 True Black	Energy consumption (SDR) per 1000 hours *	50 kWh
Colour gamut standard	DCI-P3	Energy consumption (HDR) per 1000 hours *	50 kWh
Colour gamut	99%	Power consumption (standby) *	0.5 W
sRGB coverage (typical)	138%	Power consumption (off)	0.3 W
Adobe RGB coverage	97%	AC input voltage	100 - 240 V
DCI-P3 coverage	99%	AC input frequency	50/60 Hz
Performance		Energy efficiency scale	A to G
NVIDIA G-SYNC *	✗	Weight & dimensions	
AMD FreeSync *	✓	Width (with stand)	718 mm
AMD FreeSync type	FreeSync Premium Pro	Depth (with stand)	242 mm
VESA Adaptive Sync support	✓	Height (with stand)	483 mm
Multimedia		Weight (with stand)	9.6 kg
Built-in speaker(s) *	✗	Width (without stand)	718 mm
Built-in camera *	✗	Depth (without stand)	69 mm
Design		Height (without stand)	418 mm
Market positioning *	Gaming	Weight (without stand)	6.7 kg
Product colour *	Black	Packaging data	
Frameless design	✓	Package width	995 mm
Front bezel colour	Black	Package depth	195 mm
Ports & interfaces		Package height	540 mm
Built-in USB hub *	✓	Package weight	12.3 kg
USB upstream port type	USB Type-A, USB Type-B	Package type	Box
Number of USB Type-B upstream ports quantity	1	Other features	
USB Type-A downstream ports quantity	2	Warranty period	3 year(s)
		Logistics data	
		Harmonized System (HS) code	85285210



4711377252553



4711377332767

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.