

Plustek eScan A280 Enterprise ADF scanner 600 x 600 DPI A4 Black, White

Brand : Plustek

Product family: eScan

Product code: 0301

Product name : A280 Enterprise

Plustek eScan A280 Enterprise. Maximum scan size: 216 x 356 mm, Optical scanning resolution: 600 x 600 DPI, Scan speed (b/w, low res, A4): 20 sec/page. Scanner type: ADF scanner, Product colour: Black, White, Display: LED. Sensor type: Dual CIS, Daily duty cycle (max): 2000 pages, Scan to: E-mail, FTP, SMB, USB. Auto document feeder (ADF) input capacity: 50 sheets. Maximum ISO A-series paper size: A4, Auto Document Feeder (ADF) media weight: 40 - 157 g/m², Maximum scan area (ADF): 216 x 356 mm



Scanning		Input capacity	
Maximum scan size *	216 x 356 mm	Auto document feeder (ADF) input capacity	50 sheets
Optical scanning resolution *	600 x 600 DPI	Paper handling	
Colour scanning	✓	Maximum ISO A-series paper size *	A4
Duplex scanning *	✓	Auto Document Feeder (ADF) media weight	40 - 157 g/m ²
Scan speed (b/w, low res, A4)	20 sec/page	Maximum scan area (ADF)	216 x 356 mm
Scan speed (colour, low res, A4)	20 sec/page	Minimum scan area (ADF)	13.2 x 13.2 mm
Roller lifetime	300000 pages	Ports & interfaces	
Pad lifetime	50000 pages	USB port *	✓
Design		USB version	2.0
Scanner type *	ADF scanner	USB connector type	USB Type-A
Product colour *	Black, White	Standard interfaces	Ethernet, USB 2.0
Display	LED	Network	
Display diagonal	17.8 cm (7")	Ethernet LAN	✓
Display resolution	1280 x 800 pixels	Power	
Touchscreen	✓	Power supply type *	USB
Colour display	✓	Output voltage	24 V
Built-in display *	✓	Output current	2.7 A
Performance		Weight & dimensions	
Sensor type *	Dual CIS	Width	318 mm
Daily duty cycle (max) *	2000 pages	Depth	170 mm
Scan to	E-mail, FTP, SMB, USB	Height	189 mm
Scan drivers	TWAIN	Weight	2.8 kg
Internal memory	1024 MB		
Built-in processor	✓		
Processor frequency	1600 MHz		

Packaging content	
Bundled software	ABBYY FineReader 12.0 Sprint
Operational conditions	
Operating temperature (T-T)	5 - 35 °C
Technical details	
Maximum paper size	216 x 356 mm



4042485638824

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.