

FOOT -OPERATED BUTTON, SINGLE PEDAL (WITHOUT LATCHING), CABLE ENTRY 1X(M20X1,5) METAL CASING IP65, 1 NO + 1 NC WITHOUT PROTECTIVE COVER



Figure similar

Product designation	momentary-contact foot switch
Suitability for use safety switch	No
General technical data	
Protection class IP	IP65
Number of switching steps	1
Number of the actuation pedals	1
Number of NC contacts for auxiliary contacts	1
Number of NO contacts for auxiliary contacts	1
Operating current at AC-15	
• at 230 V rated value	16 A
• at 400 V rated value	16 A
Operating current at DC-13	
• at 24 V rated value	3 A
• at 250 V rated value	0.25 A
Enclosure	
Material of the enclosure	metal
Color	

- of the enclosure
- of top part of the enclosure

black
grey

Actuator

Product feature

- interlock
- Latching

No
No

Safety related data

B10 value

- with high demand rate acc. to SN 31920

1 000 000

Proportion of dangerous failures

- with low demand rate acc. to SN 31920
- with high demand rate acc. to SN 31920

50 %
50 %

Failure rate [FIT]

- with low demand rate acc. to SN 31920

100 FIT

T1 value for proof test interval or service life acc. to IEC 61508

20 y

Mechanical data

Cable entry type

M20 x 1.5

Ambient conditions

Ambient temperature

- during operation

-25 ... +80 °C

Installation/ mounting/ dimensions

Mounting type

screw fixing

Height

220 mm

Width

70 mm

Depth

61 mm

Certificates/approvals

General Product Approval

Declaration of Conformity

Shipping Approval



Shipping Approval

other



[Miscellaneous](#)

[Confirmation](#)

Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/industrial-controls/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3SE2902-0AB20>

Cax online generator


<http://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mlfb=3SE2902-0AB20>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3SE2902-0AB20>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...)

http://www.automation.siemens.com/bilddb/cax_de.aspx?mlfb=3SE2902-0AB20&lang=en



last modified:

11/24/2017