

CyberPower CP900EIPFCLCD uninterruptible power supply (UPS) Line-Interactive 0.9 kVA 540 W 6 AC outlet(s)

Brand : CyberPower

Product code: CP900EIPFCLCD

Product name : CP900EIPFCLCD

CyberPower CP900EIPFCLCD. UPS topology: Line-Interactive, Output power capacity: 0.9 kVA, Output power: 540 W. AC outlet types: C13 coupler, Type F, Power plug: C14 coupler, AC outlets quantity: 6 AC outlet(s). Battery technology: Sealed Lead Acid (VRLA), Typical backup time at full load: 1 min, Typical backup time at half load: 7 min. Form factor: Tower, Product colour: Black, Housing material: Plastic. Compliance certificates: CE, RoHS



Features		Battery	
UPS topology *	Line-Interactive	Typical backup time at half load	7 min
Output power capacity *	0.9 kVA	Battery recharge time	8 h
Output power *	540 W	Design	
Waveform *	Pure sine	Form factor *	Tower
Input operation voltage (min) *	170 V	Housing material	Plastic
Input operation voltage (max) *	270 V	Cable length	1.83 m
Input frequency *	50/60 Hz	Product colour *	Black
Output frequency	50/60 Hz	Control type	Buttons
Automatic Voltage Regulation (AVR)	✓	Display type	LCD
Maximum current	10 A	LED indicators	✓
Surge energy rating	405 J	Operational conditions	
Response time	4 ms	Operating temperature (T-T)	0 - 40 °C
Heat dissipation	31 BTU/h	Storage temperature (T-T)	-15 - 45 °C
Number of input phases	1	Operating relative humidity (H-H)	0 - 95%
Number of output phases	1	Storage relative humidity (H-H)	0 - 95%
Power Factor Correction (PFC) type	Active	Operating altitude	0 - 3000 m
EMI/RFI noise filtering	✓	Non-operating altitude	0 - 15000 m
Surge protection	✓	Certificates	
Surge protection features	Network, Telephone	Compliance certificates	CE, RoHS
Audible alarm(s)	✓	Packaging content	
Audible alarm modes	Alarm when on battery, Fault, Low battery alarm, Overload alarm	Batteries included	✓
Power source type	AC	Quick installation guide	✓
Detachable power cord	✓		

Features		Sustainability	
Socket circuit breaker	✓	Sustainability compliance	✓
Ports & interfaces		Weight & dimensions	
AC outlet types	C13 coupler, Type F	Width	100 mm
Power plug	C14 coupler	Depth	275 mm
AC outlets quantity	6 AC outlet(s)	Height	230 mm
USB port	✓	Weight	6.67 kg
USB 2.0 ports quantity	1	Packaging data	
USB port type	USB Type-B	Package width	195 mm
Serial interface	✓	Package depth	365 mm
Ethernet LAN (RJ-45) ports	2	Package height	355 mm
Battery		Package weight	7.95 kg
Battery technology	Sealed Lead Acid (VRLA)	Other features	
Typical backup time at full load	1 min	Nominal output voltage	230 V
		Nominal input voltage	220-240 V
		Overload protection	✓



4711027798059

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.