

## Plustek OpticFilm 120 Film/slide scanner Black, Grey

**Brand :** Plustek

**Product family:** OpticFilm

**Product code:** 0229

**Product name :** 120

CCD, LED, 10600 dpi, 48-bit, USB 2.0, 5.7 Kg

Plustek OpticFilm 120. Maximum scan size: 60 x 120 mm, Input colour depth: 48 bit, Output colour depth: 48 bit. Scanner type: Film/slide scanner, Product colour: Black, Grey. Sensor type: CCD, Light source: LED. Standard interfaces: USB 2.0. Input voltage: 24 V, Current: 0.75 A



| Scanning                          |                    | Power                       |                        |
|-----------------------------------|--------------------|-----------------------------|------------------------|
| Maximum scan size *               | 60 x 120 mm        | Current                     | 0.75 A                 |
| Colour scanning                   | ✓                  | Weight & dimensions         |                        |
| Duplex scanning *                 | ✗                  | Width                       | 210 mm                 |
| Input colour depth                | 48 bit             | Depth                       | 374 mm                 |
| Output colour depth               | 48 bit             | Height                      | 189 mm                 |
| Output greyscale depth            | 16 bit             | Weight                      | 5.7 kg                 |
| Film scanning                     | ✓                  | Packaging data              |                        |
| Black/white scanning colour modes | Grayscale          | Package width               | 320 mm                 |
| Design                            |                    | Package depth               | 500 mm                 |
| Scanner type *                    | Film/slide scanner | Package height              | 370 mm                 |
| Product colour *                  | Black, Grey        | Packaging content           |                        |
| Built-in display *                | ✗                  | Bundled software            | SilverFast Ai Studio 8 |
| Performance                       |                    | System requirements         |                        |
| Sensor type *                     | CCD                | Minimum storage drive space | 10240 MB               |
| Light source                      | LED                | Minimum RAM                 | 2048 MB                |
| Ports & interfaces                |                    | Minimum processor           | 2 GHz                  |
| USB port *                        | ✓                  | Power                       |                        |
| USB version                       | 2.0                | Input voltage               | 24 V                   |
| Standard interfaces               | USB 2.0            |                             |                        |

| System requirements                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|-------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Windows operating systems supported       | Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 IOT Core, Windows 10 Pro, Windows 10 Pro x64, Windows 7, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64, Windows Vista, Windows Vista Business, Windows Vista Business x64, Windows Vista Enterprise, Windows Vista Enterprise x64, Windows Vista Home Basic, Windows Vista Home Basic x64, Windows Vista Home Premium, Windows Vista Home Premium x64, Windows Vista Ultimate, Windows Vista Ultimate x64, Windows XP Home, Windows XP Home x64, Windows XP Professional, Windows XP Professional x64 |
| Mac operating systems supported           | Mac OS X 10.5 Leopard, Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Other features                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Minimum system requirements for Macintosh | 2 GHz 2 GB RAM 10 GB HDD DVD                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Dynamic range                             | 4.01 dB                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |



4042485365645

### Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.