

Verbatim CMH-13 USB Type-C 10000 Mbit/s Silver

Brand : Verbatim

Product code: 32153

Product name : CMH-13

- Transform a single USB-C® port into thirteen ports including dual HDMI, High speed PD ports and gigabit ethernet connection
- 2 x HDMI, 1 x DisplayPort, 1 x RJ45, 3 x USB-A 3.2 Gen 1, 1 x USB-A 3.2 Gen 2, 2 x USB-A 2.0, 1 x Audio, 2 x USB-C PD
- Triple 4K video output
- Dual HDMI outputs capable of handling up to 8K resolution for stunning visuals
- Gigabit ethernet port for high speed, wired internet access
- Dual USB-C Power Delivery - charge devices while using the hub with pass-through charging
- 2 x HDMI, 8K/30Hz, 1 x DP, 8K/30Hz, 1 x RJ45, up to 1Gb/s, 3 x USB-A 3.2 Gen 1, 5Gb/s, 1 x USB-A 3.2 Gen 2, 10Gb/s, 2 x USB-A 2.0, 480Mb/s, 1 x Audio, in & out, 2 x USB-C PD, 100W & 10Gb/s, 160.2mm x 55.4mm x 15mm



Ports & interfaces		Weight & dimensions	
Host interface *	USB Type-C	Width	55.4 mm
Hub interfaces *	3.5mm, DisplayPort, HDMI, RJ-45, USB 2.0, USB 3.2 Gen 1 (3.1 Gen 1) Type-A, USB 3.2 Gen 2 (3.1 Gen 2) Type-A, USB Type-C	Depth	160.2 mm
		Height	15 mm
		Weight	150 g
USB 2.0 ports quantity	2	Packaging data	
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	3	Quantity per pack	1 pc(s)
USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity	1	Package width	100 mm
USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity	2	Package depth	200 mm
HDMI ports quantity	2	Package height	22 mm
DisplayPorts quantity	1	Package weight	206 g
Combo headphone/mic port	✓	Package type	Hanging box
Ports quantity *	13	Packaging content	
Ethernet LAN (RJ-45) ports	1	Quick start guide	✓
Features		Operational conditions	
Data transfer rate *	10000 Mbit/s	Operating temperature (T-T)	0 - 40 °C
Maximum refresh rate	30 Hz	Storage temperature (T-T)	-20 - 70 °C
Product colour	Silver	Operating relative humidity (H-H)	10 - 85%
Housing material	Acrylonitrile butadiene styrene (ABS), Aluminium	Logistics data	
USB Power Delivery (USB PD)	✓	Packs per box (outer)	40
USB Power Delivery up to	100 W	Box (outer) per layer	8
HD type	8K Ultra HD	Products per pallet	960 pc(s)
LED indicators	✓	Master (outer) case width	245 mm
Cable length	0.2 m	Layers per pallet	3 pc(s)
		Master (outer) case length	435 mm
		Master (outer) case height	290 mm

Features		Logistics data	
Country of origin	China	Master (outer) case gross weight	9.4 kg
Certification	EAC/CE/UKCA/FCC RoHS/REACH	Products per master (outer) case	40 pc(s)
Network		Shipping (inner) case width	11.2 cm
Ethernet interface type	Gigabit Ethernet	Shipping (inner) case length	41.5 cm
Power		Shipping (inner) case height	13 cm
Output voltage	5 V	Shipping (inner) case gross weight	2.21 kg
Output current	0.9 A	Products per shipping (inner) case	10 pc(s)
System requirements		Technical details	
Windows operating systems supported	Windows 10, Windows 11, Windows 7, Windows 8	Master (outer) cases per pallet	24 pc(s)
Mac operating systems supported	Mac OS X 10.2 Jaguar, Mac OS X 10.3 Panther, Mac OS X 10.4 Tiger, Mac OS X 10.5 Leopard, Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.7.5 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks, Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey		
Linux operating systems supported	✓		
Other operating systems supported	ChromeOS		



0023942321538



023942321538



(01)20023942321532



(01)50023942321533

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.