



Canon PowerShot SX740 HS Lite Edition 1/2.3" Compact camera 20.3 MP CMOS 5184 x 3888 pixels Silver

Brand : Canon

Product family: PowerShot

Product code: 2956C031

Product name : SX740 HS Lite Edition

- 40x Optical zoom
- DIGIC 8 Powerful processor
- 20.3 Megapixel CMOS sensor
- 10 fps Continuous shooting
- 4K Ultra High Definition
- 5-axis Stabilisation
- 180 degree Flip up LCD screen
- Bluetooth Always-on connectivity

1/2.3" CMOS, 20.3 MP, f/3.3 – f/6.9, TTL, DIGIC 8, 3.0" LCD, USB, HDMI Micro Type-D, Wi-Fi, Lite Edition
Canon PowerShot SX740 HS Lite Edition. Camera type: Compact camera, Megapixel (approx.): 20.3 MP,
Image sensor size: 1/2.3", Sensor type: CMOS, Maximum image resolution: 5184 x 3888 pixels. ISO
sensitivity (max): 3200. Optical zoom: 40x, Digital zoom: 80x, Focal length range: 4.3 - 172 mm. Wi-Fi.
HD type: 4K Ultra HD, Maximum video resolution: 3840 x 2160 pixels. Display diagonal: 7.62 cm (3").
PictBridge. Product colour: Silver

Picture quality		Video	
Image sensor size *	1/2.3"	Video recording *	✓
Camera type *	Compact camera	Maximum video resolution *	3840 x 2160 pixels
Megapixel (approx.) *	20.3 MP	HD type *	4K Ultra HD
Sensor type *	CMOS	Video resolutions	1280 x 720,1920 x 1080,3840 x 2160
Maximum image resolution *	5184 x 3888 pixels	Motion JPEG frame rate	60 fps
Still image resolution(s) *	4:3 - (L) 5184 x 3888, (M) 3648 x 2736, (S) 2432 x 1824	Video formats supported	AVC, H.264, MP4, MPEG4
	16:9 - (L) 5184 x 2912, (M) 3648 x 2048, (S) 2432 x 1368	Audio	
	3:2 - (L) 5184 x 3456, (M) 3648 x 2432, (S) 2432 x 1616	Built-in microphone *	✓
Image stabilizer *	✓	Memory	
Supported aspect ratios	1:1, 3:2, 4:3, 16:9	Compatible memory cards *	SD, SDHC, SDXC
Total megapixels	21.1 MP	Display	
Lens system		Display *	LCD
Optical zoom *	40x	Display diagonal *	7.62 cm (3")
Digital zoom *	80x	Display resolution (numeric)	922000 pixels
Focal length range	4.3 - 172 mm	Field of view	100%
Minimum focal length (35mm film equiv)	24 mm	Ports & interfaces	
Maximum focal length (35mm film equiv)	960 mm	PictBridge *	✓
Minimum aperture number	3.3	USB connector	Mini-USB B
Maximum aperture number	6.9	HDMI *	✓
Lens structure (elements/groups)	13/11	HDMI connector type	Micro
Combined zoom	160x	Network	
Focusing		Bluetooth *	✓
Focus *	TTL	Bluetooth Low Energy (BLE)	✓
Focus adjustment *	Auto/Manual	Wi-Fi *	✓
Auto focusing (AF) modes *	Continuous Auto Focus, One Shot Focus, Servo Auto Focus	Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)
Closest focusing distance	0.01 m	Camera	
Auto Focus (AF) points	9	White balance *	Auto, Cloudy, Custom modes, Daylight, Fluorescent, Shade, Tungsten
Auto Focus (AF) assist beam	✓	Self-timer delay *	2,10 s
		Histogram	✓

Exposure		Camera	
ISO sensitivity (min) *	100	GPS (satellite)	✓
ISO sensitivity (max) *	3200	Built-in processor	✓
ISO sensitivity	100, 3200	Image processor	DIGIC 8
Light exposure correction *	± 3EV (1/3EV step)	Design	
Light metering *	Centre-weighted, Evaluative (Multi-pattern), Spot	Product colour *	Silver
Auto Exposure (AE) lock	✓	Battery	
Shutter		Battery technology *	Lithium-Ion (Li-Ion)
Fastest camera shutter speed *	1/3200 s	Battery life (CIPA standard)	265 shots
Slowest camera shutter speed *	15 s	Battery type	NB-13L
Flash		Operational conditions	
Flash modes *	Auto, Flash off, Flash on, Manual, Slow synchronization	Operating temperature (T-T)	0 - 40 °C
Flash range (wide)	0.5 - 5 m	Operating relative humidity (H-H)	10 - 90%
Flash range (tele)	2 - 2.5 m	Weight & dimensions	
Flash exposure correction	±2EV (1/3 EV step)	Width	63.8 mm
		Depth	39.9 mm
		Height	110.1 mm
		Weight (including battery)	299 g



4549292246117

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.