



DELL PowerEdge T160 server 2 TB Tower (3U) Intel Xeon E E-2414 2.6 GHz 16 GB DDR5-SDRAM 300 W

Brand : DELL

Product family: PowerEdge

Product code: GGFTC

Product name : T160

- No OS
- Intel Xeon E-2414 (12MB Cache, 2.6GHz)
- 16GB DDR5-SDRAM (1 x 16) & 2000GB HDD
- iDRAC9 Enterprise 16G

Intel Xeon E-2414 (12MB Cache, 2.6GHz), 16GB DDR5-SDRAM, 2000GB HDD, LAN (Broadcom 5720), PERC H355, iDRAC9 Enterprise 16G, 300W, No OS

DELL PowerEdge T160 server 2 TB Tower (3U) Intel Xeon E E-2414 2.6 GHz 16 GB DDR5-SDRAM 300 W:

The single-socket Dell PowerEdge T160 is a small chassis tower server for customers desiring flexibility, affordability and processing power.

DELL PowerEdge T160. Processor family: Intel Xeon E, Processor frequency: 2.6 GHz, Processor model: E-2414. Internal memory: 16 GB, Internal memory type: DDR5-SDRAM, Memory layout (slots x size): 1 x 16 GB. Total storage capacity: 2 TB, HDD size: 3.5", HDD interface: SATA III. Ethernet LAN, Cabling technology: 10/100/1000Base-T(X). Power supply: 300 W. Chassis type: Tower (3U)



Processor		Design	
Processor manufacturer *	Intel	Product colour	Black
Processor family *	Intel Xeon E	Rack rails	✗
Processor model *	E-2414	Bezel	✓
Processor frequency *	2.6 GHz	Performance	
Processor boost frequency	4.5 GHz	Remote administration	iDRAC9 Enterprise 16G
Performance cores	4	Trusted Platform Module (TPM)	✓
Processor cores	4	Trusted Platform Module (TPM) version	2.0
Processor cache	12 MB	Software	
Motherboard chipset	Intel C262	Operating system installed *	✗
Number of processors installed	1	Compatible operating systems *	Canonical Ubuntu Server LTS
Processor threads	4		Microsoft Windows Server with Hyper-V Red Hat Enterprise Linux SUSE Linux Enterprise Server VMware ESXi
Memory		Power	
Internal memory *	16 GB	Redundant power supply (RPS) support *	✗
Internal memory type *	DDR5-SDRAM	Power supply *	300 W
Buffered memory type	Unregistered (unbuffered)	Operational conditions	
Memory slots	4x DIMM	Storage temperature (T-T)	-40 - 65 °C
ECC	✓	Storage relative humidity (H-H)	5 - 95%
Memory layout (slots x size)	1 x 16 GB	Operating altitude	0 - 3048 m
Memory data transfer rate	5600 MT/s	Non-operating altitude	0 - 12000 m
Maximum internal memory *	128 GB	Carbon footprint	
Storage		Total carbon footprint (kg of CO2e)	1182
Total storage capacity *	2 TB	Total carbon emissions, standard deviation (kg of CO2e)	924
Number of HDDs installed	1		
HDD capacity	2 TB		
HDD interface	SATA III		
HDD speed	7200 RPM		
HDD size	3.5"		
RAID support *	✓		

Storage		Carbon footprint	
Supported RAID controllers	PERC H355	Carbon emissions, manufacturing (kg of CO2e)	319.14
Optical drive type *	✗	Carbon emissions, logistics (kg of CO2e)	130.02
Internal drive bays	3	Carbon emissions, energy usage (kg of CO2e)	709.2
Supported storage drive interfaces	SAS, Serial ATA	Carbon emissions, end-of-life (kg of CO2e)	23.64
Network		Weight & dimensions	
LAN controller	Broadcom 5720	Width	132.5 mm
Ethernet LAN	✓	Height	332.5 mm
Cabling technology	10/100/1000Base-T(X)	Packaging content	
Ethernet interface type	Gigabit Ethernet	Packaging content	European Power Cord 220V
Ports & interfaces		Technical details	
Ethernet LAN (RJ-45) ports *	2	Supported storage drives form factor (internal)	3.5"
USB 2.0 ports quantity	3	Other features	
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	4	Data transfer rate	6 Gbit/s
VGA (D-Sub) ports quantity	1	Bytes per sector	512n
Serial ports quantity	1		
Design			
Chassis type *	Tower (3U)		



5397184921036

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.