



DELL PowerEdge R260 server 480 GB Rack (1U) Intel Xeon 6 6333P 3.1 GHz 16 GB DDR5-SDRAM 700 W

Brand : DELL

Product family: PowerEdge

Product code: WPW6P



Product name : R260

- No OS
- Intel Xeon 6 6333P (18MB Cache, 3.1GHz)
- 16GB DDR5-SDRAM (1 x 16) & 480GB SSD
- iDRAC9, Enterprise 16G
Intel Xeon 6 6333P (18MB Cache, 3.1GHz), 16GB DDR5-SDRAM, 480GB SSD, LAN (Broadcom 5720), PERC H355 Adapter LP, iDRAC9, Enterprise 16G, 700W, No OS

DELL PowerEdge R260 server 480 GB Rack (1U) Intel Xeon 6 6333P 3.1 GHz 16 GB DDR5-SDRAM 700 W:

The 1U, single-socket Dell PowerEdge R260 is a short-depth form factor for customers desiring flexibility, affordability and processing power.

DELL PowerEdge R260. Processor family: Intel Xeon 6, Processor frequency: 3.1 GHz, Processor model: 6333P. Internal memory: 16 GB, Internal memory type: DDR5-SDRAM, Memory layout (slots x size): 1 x 16 GB. Total storage capacity: 480 GB. Ethernet LAN, Cabling technology: 10/100/1000Base-T(X). Power supply: 700 W. Chassis type: Rack (1U)



Processor		Design	
Processor manufacturer *	Intel	Bezel	✓
Processor family *	Intel Xeon 6	Performance	
Processor model *	6333P	Remote administration	iDRAC9, Enterprise 16G
Processor frequency *	3.1 GHz	Trusted Platform Module (TPM)	✓
Processor boost frequency	5.2 GHz	Software	
Performance cores	6	Operating system installed *	✗
Processor cache	18 MB	Compatible operating systems *	Canonical Ubuntu Server LTS
Number of processors installed	1		Microsoft Windows Server with
Thermal Design Power (TDP)	65 W		Hyper-V Red Hat Enterprise Linux
System bus rate	16 GT/s		SUSE Linux Enterprise Server
Processor threads	12		VMware ESXi
Memory types supported by processor	DDR5-SDRAM	Power	
Memory clock speeds supported by processor	4800 MHz	Redundant power supply (RPS) support *	✗
Memory		Power supply *	700 W
Internal memory *	16 GB	Number of main power supplies	1
Internal memory type *	DDR5-SDRAM	Power supply input voltage	200 - 240 V
Buffered memory type	Unregistered (unbuffered)	Power cable length	2 m
Memory slots	4x DIMM	Power cable connector 1	C13 coupler
ECC	✓	Power cable connector 2	C14 coupler
Memory layout (slots x size)	1 x 16 GB	Power cable current	10 A
Memory data transfer rate	5600 MT/s	Operational conditions	
Maximum internal memory *	128 GB	Storage temperature (T-T)	-40 - 65 °C
Storage		Storage relative humidity (H-H)	5 - 95%
Total storage capacity *	480 GB	Operating altitude	0 - 3048 m
Number of SSDs installed	1	Non-operating altitude	0 - 12000 m
SSD capacity	480 GB		

Storage		Certificates	
SSD interface	SATA III	80 PLUS certification	80 PLUS Titanium
SSD size	2.5"	Carbon footprint	
Supported SSD sizes	2.5"	Total carbon footprint (kg of CO2e)	950
Number of SSDs supported	6	Total carbon emissions, standard deviation (kg of CO2e)	711
RAID support *	✗	Carbon emissions, manufacturing (kg of CO2e)	304
Supported RAID controllers	PERC H355 Adapter LP	Carbon emissions, logistics (kg of CO2e)	95
Hot-Plug support	✓	Carbon emissions, energy usage (kg of CO2e)	541.5
Optical drive type *	✗	Carbon emissions, end-of-life (kg of CO2e)	9.5
Drive writes per day (DWPD)	1	PAIA version	1.3.2, 2024
Network		Weight & dimensions	
LAN controller	Broadcom 5720	Width	482 mm
Ethernet LAN	✓	Height	42.8 mm
Cabling technology	10/100/1000Base-T(X)	Packaging content	
Ethernet interface type	Gigabit Ethernet	Packaging content	1U/2U 2/4-Post Static Rails,Riser Config 1, Gen4 Riser
Ports & interfaces		Other features	
Ethernet LAN (RJ-45) ports *	2	Data transfer rate	6 Gbit/s
USB 2.0 ports quantity	2	Bytes per sector	512e
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	1	Target workload	Read Intensive (RI)
VGA (D-Sub) ports quantity	1		
Serial ports quantity	1		
Design			
Chassis type *	Rack (1U)		
Product colour	Black		



5397184960448

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.