



Canon EOS R8 + RF 24-105mm F4-7.1 IS STM MILC 24.2 MP CMOS 6000 x 4000 pixels Black



Brand : Canon

Product family: EOS

Product code: 5803C095

Product name : R8 + RF
24-105mm F4-7.1 IS STM

Canon EOS R8 + RF 24-105mm F4-7.1 IS STM. Camera type: MILC, Megapixel (approx.): 24.2 MP, Sensor type: CMOS, Maximum image resolution: 6000 x 4000 pixels. ISO sensitivity (max): 204800. Focal length range: 24 - 105 mm. Fastest camera shutter speed: 1/16000 s. Wi-Fi. HD type: 4K Ultra HD, Maximum video resolution: 3840 x 2160 pixels. Touchscreen. Viewfinder type: Electronic. Weight: 414 g. Product colour: Black

Picture quality		Viewfinder	
Image sensor aspect ratio	3:2	Viewfinder type	Electronic
Camera type *	MILC	Magnification	0.7x
Megapixel (approx.) *	24.2 MP	Viewfinder screen size	0.39"
Sensor type *	CMOS	Viewfinder frame rate (power saving mode)	60 fps
Sensor cleaning system	Ultrasonic vibration	Viewfinder frame rate (smooth mode)	120 fps
Maximum image resolution *	6000 x 4000 pixels	Viewfinder resolution (approx.)	2360000 pixels
Still image resolution(s) *	6000 x 4000, 3984 x 2656, 2976 x 1984, 2400 x 1600, 5328 x 4000, 3552 x 2664, 2656 x 1992, 2112 x 1600, 4000 x 4000, 2656 x 2656, 1984 x 1984, 1600 x 1600	Ports & interfaces	
Image stabilizer *	✗	USB version *	3.2 Gen 2 (3.1 Gen 2)
Supported aspect ratios	1:1, 3:2, 4:3, 16:9	USB connector	USB Type-C
Image sensor size (W x H)	35.9 x 23.9 mm	HDMI *	✓
Sensor format	Full-frame	HDMI connector type	Micro
Built-in low-pass filter	✓	Microphone in	✓
Image formats supported *	JPEG, Raw, C-Raw, HEIF	Headphone outputs	1
		Headphone connectivity	3.5 mm
Lens system		Network	
Focal length range	24 - 105 mm	Bluetooth *	✓
Minimum aperture number	40	Bluetooth version	4.2
Lens structure (elements/groups)	13/11	Bluetooth Low Energy (BLE)	✓
Filter size	67 mm	Wi-Fi *	✓
Number of diaphragm blades	7	Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)
Lens mount interface	Canon RF	Camera	
Focusing		White balance *	Auto, Cloudy, Custom modes, Daylight, Flash, Fluorescent, Manual, Shade, Tungsten
Focus *	TTL	Scene modes *	Children, Close-up (macro), Food, Landscape, Panorama, Portrait, Self-portrait, Sports
Focus adjustment *	Auto/Manual	Shooting modes *	Aperture priority, Auto, Flexible priority, Manual, Program, Scene, Shutter priority
Auto focusing (AF) modes *	Continuous Auto Focus, One Shot Focus, Servo Auto Focus	Self-timer delay *	2,10 s
Auto Focus (AF) object detection	Animal, Bird, Eye, Face, People, Vehicle	Dioptr correction	✓
Face tracking	✓	Dioptr adjustment (D-D)	-4 - 1
Auto Focus (AF) lock	✓	Histogram	✓
Auto Focus (AF) assist beam	✓		
Exposure			
ISO sensitivity (min) *	50		

Exposure		Camera	
ISO sensitivity (max) *	204800	Live view	✓
ISO sensitivity	100, 6400, 25600, 102400	Direct printing	✓
Light exposure modes *	Aperture priority AE, Auto, Manual, Shutter priority AE	GPS (satellite)	✗
Light exposure control	Program AE	Orientation sensor	✓
Light exposure correction *	± 3EV (1/2EV; 1/3EV step)	Anti-dust function	✓
Auto Exposure (AE) lock	✓	Smartphone/tablet remote support	✓
Number of measurement zones	384	View on smartphone	✓
Shutter		Histogram options	Brightness, RGB
Fastest camera shutter speed *	1/16000 s	Highlight alert	✓
Slowest camera shutter speed *	30 s	Tripod mounting supported *	✓
Camera shutter type	Electronic	Image processor	DIGIC X
Flash		Design	
Flash exposure lock	✓	Product colour *	Black
External flash connector	✓	Dustproof	✓
Flash exposure compensation	✓	Splash proof	✓
Flash exposure correction	±3EV (1/3 EV step)	Battery	
Shoe mounting point	✓	Battery technology *	Lithium-Ion (Li-Ion)
Shoe mounting point type	Hot shoe	Battery type	LP-E17
Video		Number of batteries supported	1
Video recording *	✓	Battery level indicator	✓
Maximum video resolution *	3840 x 2160 pixels	Power	
HD type *	4K Ultra HD	USB Type-C charging port *	✓
Video resolutions	1920 x 1080, 3840 x 2160 pixels	USB Type-C required charging power (min) *	7.5 W
Video formats supported	H.264, H.265	USB Type-C required charging power (max) *	7.5 W
Colour sampling	YCbCr4:2:0 8-bit, YCbCr4:2:2 10-bit	Operational conditions	
Audio		Operating temperature (T-T)	0 - 40 °C
Built-in microphone *	✓	Weight & dimensions	
Built-in speaker(s)	✓	Width	132.5 mm
Audio system	stereo	Depth	70 mm
Wind filter	✓	Height	86.1 mm
Audio formats supported	LPCM, AAC	Weight	414 g
Memory		Weight (including battery)	461 g
Compatible memory cards *	SD, SDHC, SDXC	Packaging data	
Memory slots	1	Quantity per pack	1 pc(s)
Display		Packaging content	
Display *	LCD	Neck strap included	✓
Touchscreen *	✓	AC adapter included *	✓
Display diagonal (metric)	7.5 cm	Battery charger included	✓
Display resolution	1620000 dot	Batteries included	✓
Display aspect ratio	3:2	Logistics data	
Vari-angle LCD display	✓	Products per pallet	72 pc(s)



8714574693002



3662362073084

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.