



CLUB3D USB Type C 4-in-1 Hub to HDMI™ 4K60Hz USB Type C PD / USB Type A / Audio jack

Brand : CLUB3D

Product code: CSV-1591

Product name : USB Type C 4-in-1 Hub to HDMI™ 4K60Hz
USB Type C PD / USB Type A / Audio jack



USB Type C 4-in-1 Hub to HDMI™ 4K60Hz USB Type C PD / USB Type A / Audio jack

CLUB3D USB Type C 4-in-1 Hub to HDMI™ 4K60Hz USB Type C PD / USB Type A / Audio jack:

CSV-1591 - The Club 3D Hub is a 4-in-1 USB Type-C hub with HDMI™, USB Type-A 2.0, 3.5mm audio and USB Type-C PD charging, the design perfectly suits all DP Alt-mode capable devices. With this hub, you can enjoy ultra high definition video of your host on big screen, enjoy fantastic music, transmit USB 2.0 data and connect USB Type-C PD Adapter to charge the host.

This hub can work on all USB Type-C and Thunderbolt™ 3 hosts that supports DP Alt mode. When working on Thunderbolt™ 3 host, this product transmits DP signal.



Ports & interfaces		Cooling	
Connectivity technology *	Docking	Built-in fan	✗
Host interface *	USB 3.2 Gen 1 (3.1 Gen 1) Type-C	Power	
USB 2.0 ports quantity *	1	Power source type	USB
USB 3.2 Gen 1 (3.1 Gen 1) Type-C ports quantity	1	Power connector	USB Type-C
USB Power Delivery (USB PD)	✓	Power supply	100 W
USB Power Delivery up to	100 W	Weight & dimensions	
HDMI ports quantity *	1	Width	72 mm
HDMI version	2.0	Depth	32 mm
Microphone in *	✗	Height	9 mm
Combo headphone/mic port	✗	Weight	35 g
Headphone outputs *	1	Packaging data	
Headphone connectivity	3.5 mm	Quantity per pack	1 pc(s)
Line-in	✗	Package width	100 mm
Line-out	✗	Package depth	100 mm
Network		Package height	90 mm
Ethernet LAN *	✗	Package weight	65 g
Performance		Packaging composition	
Card reader integrated *	✗	Plastic packaging weight	5 g
HD type	4K Ultra HD	Paper/cardboard packaging weight	65 g
Maximum digital resolution	3840 x 2160 pixels	Total plastic packaging weight	10 g
Product colour *	Black, Chrome	Total paper/cardboard packaging weight	130 g
Plug and Play	✓	Technical details	
Charging function	✓	Compliance certificates	RoHS
Housing material	Aluminium	Logistics data	
Country of origin	China	Harmonized System (HS) code	8473 3020
Compatibility	ALL		

Performance

Certification	FCC, CE EMI
---------------	-------------



8719214471453



0841615101634



841615101634

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.