

Verbatim TruSound ANC Neckband Earbuds Grey

Brand : Verbatim

Product code: 30206


Product name : TruSound ANC Neckband Earbuds Grey

- Active Noise Cancellation (ANC) technology
 - Up to 28 hours playtime
 - Bluetooth 5.4 connectivity
 - 13mm dynamic drivers for powerful sound
 - Environmental Noise Cancellation (ENC) for clearer calls
 - Enhanced call clarity with built-in microphone
 - Smart magnetic auto on/off function
 - Secure and lightweight neckband design
 - USB-C® charging
 - 300mAh battery capacity
 - Supports HFP, HSP, A2DP, AVRCP
 - Comfortable ear tips in three sizes
- Neckband Earbuds, 20 Hz - 20000 Hz, 32 Ohm, 13 mm, Bluetooth 5.4, ANC, 300 mAh, USB-C, 460 x 130 x 15.2 mm, 46.5 g, Grey
- Verbatim TruSound ANC Neckband Earbuds Grey. Product type: Headset. Connectivity technology: Wireless, Bluetooth. Recommended usage: Music/Everyday. Headphone frequency: 20 - 20000 Hz. Weight: 46.5 g. Product colour: Grey



Performance		Microphone	
Product type *	Headset	Microphone type *	Built-in
Wearing style *	Neck-band	Microphone sensitivity	-38 dB
Recommended usage *	Music/Everyday	Battery	
Market segment	Consumer	Battery operated	✓
Headset type *	Binaural	Battery type	Built-in battery
Product colour *	Grey	Battery technology	Lithium Polymer (LiPo)
Operating keys	Answer/end call, Reject call, Play/Pause, Track <, Track >, Volume -, Volume +	Battery capacity	300 mAh
Volume control	Button	Continuous audio playback time	28 h
Control unit type	In-line control unit	Charging source	USB
Control type	Buttons	Operational conditions	
LED indicators	✓	Operating temperature (T-T)	-10 - 40 °C
Signal-to-Noise Ratio (SNR)	80 dB	Weight & dimensions	
Housing material	Acrylonitrile butadiene styrene (ABS), Silicone, Thermoplastic elastomer (TPE)	Width	460 mm
Ports & interfaces		Depth	130 mm
Connectivity technology *	Wireless	Height	15.2 mm
Bluetooth	✓	Weight	46.5 g
Bluetooth profiles	HFP, HSP, A2DP, AVRCP	Packaging data	
Bluetooth version	5.4	Package type	Hanging box
Headphones		Packaging content	
Ear coupling *	Intraaural	AC adapter included *	✗
Headphone frequency	20 - 20000 Hz	Quick start guide	✓
Impedance	32 Ω	Cables included	USB Type-A to USB Type-C
Headphone sensitivity	124 dB	Logistics data	
Driver unit	1.3 cm	Products per master (outer) case	40 pc(s)
Noise canceling	✓		

Headphones		Power	
Noise canceling type	Active	USB Type-C charging port *	✓



0023942302063



023942302063

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.