



Canon EOS R50, Black + RF-S 18-45 IS STM + RF-S 55-210mm F5-7.1 IS STM Kit

Brand : Canon

Product family: EOS

Product code: 5811C023

Product name : EOS R50,
Black + RF-S 18-45 IS STM + RF-
S 55-210mm F5-7.1 IS STM Kit



Canon EOS R50, Black + RF-S 18-45 IS STM + RF-S 55-210mm F5-7.1 IS STM Kit. Camera type: MILC, Megapixel (approx.): 24.2 MP, Sensor type: CMOS, Maximum image resolution: 6000 x 4000 pixels. ISO sensitivity (max): 51200. Focal length range: 18 - 45 mm. Fastest camera shutter speed: 1/8000 s. Wi-Fi. HD type: 4K Ultra HD, Maximum video resolution: 3840 x 2160 pixels. Touchscreen. Viewfinder type: Electronic. Weight: 328 g. Product colour: Black



Picture quality		Display	
Image sensor aspect ratio	3:2	Display resolution	1620000 dot
Camera type *	MILC	Display aspect ratio	3:2
Megapixel (approx.) *	24.2 MP	Vari-angle LCD display	✓
Sensor type *	CMOS	Viewfinder	
Maximum image resolution *	6000 x 4000 pixels	Viewfinder type	Electronic
Still image resolution(s) *	6000 x 4000, 3984 x 2656, 2976 x 1984, 2400 x 1600, 5328 x 4000,	Magnification	0.95x
	3552 x 2664, 2656 x 1992, 2112 x 1600, 4000 x 4000, 2656 x 2656,	Viewfinder screen size	0.39"
	1984 x 1984, 1600 x 1600	Viewfinder frame rate (power saving mode)	60 fps
Image stabilizer *	✗	Viewfinder frame rate (smooth mode)	120 fps
Supported aspect ratios	1:1, 3:2, 4:3, 16:9	Viewfinder resolution (approx.)	2360000 pixels
Image sensor size (W x H)	22.3 x 14.9 mm	Ports & interfaces	
Sensor format	Advanced Photo System type-C (APS-C)	USB version *	2.0
Built-in low-pass filter	✓	USB connector	USB Type-C
Image formats supported *	JPEG, Raw, C-Raw, HEIF	HDMI *	✓
Lens system		HDMI version	2.0
Focal length range	18 - 45 mm	HDMI connector type	Micro
Minimum focal length (35mm film equiv)	29 mm	Microphone in	✓
Maximum focal length (35mm film equiv)	72 mm	Network	
Minimum aperture number	32	Bluetooth *	✓
Maximum aperture number	4.5	Bluetooth version	4.2
Lens structure (elements/groups)	7/7	Bluetooth Low Energy (BLE)	✓
Lens type	Standard zoom	Wi-Fi *	✓
Filter size	49 mm	Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)
Number of diaphragm blades	7	Camera	
Lens 2 focal length range	55 - 210 mm	White balance *	Auto, Cloudy, Custom modes, Daylight, Flash, Fluorescent, Manual, Shade, Tungsten
Lens 2 minimum aperture number	32	Scene modes *	Children, Close-up (macro), Food, Group photo, HDR backlight control, Handheld night scene, Landscape, Panning, Panorama, Portrait, Self-portrait, Silent shutter, Smooth skin, Sports
Lens 2 maximum aperture number	5		
Lens 2 structure (elements/groups)	11/8		
Lens 2 filter size	5.5 cm		
Lens mount interface	Canon RF		

Focusing		Camera	
Focus *	TTL	Shooting modes *	Aperture priority, Auto, Intelligent auto, Manual, Program, Scene, Shutter priority
Focus adjustment *	Auto/Manual		
Auto focusing (AF) modes *	Continuous Auto Focus, One Shot Focus, Servo Auto Focus		
Auto Focus (AF) object detection	Animal, Bird, CAT, Dog, People, Vehicle		
Face tracking	✓		
Auto Focus (AF) lock	✓		
Auto Focus (AF) assist beam	✓		
Exposure		GPS (satellite)	✗
ISO sensitivity (min) *	100	Orientation sensor	✓
ISO sensitivity (max) *	51200	Anti-dust function	✗
ISO sensitivity	100, 6400, 25600, 51200	Smartphone/tablet remote support	✓
Light exposure modes *	Aperture priority AE, Auto, Manual, Shutter priority AE	View on smartphone	✓
Light exposure control	Program AE	Playback zoom (min)	1.5x
Light exposure correction *	± 3EV (1/3EV step)	Playback zoom number of steps	15
Light metering *	Centre-weighted, Evaluative (Multi-pattern), Partial, Spot	Erase protection options	Folder, Memory card, Single image
Auto Exposure (AE) lock	✓	Tripod mounting supported *	✓
Number of measurement zones	384	Slideshow	✓
Exposure bracketing (AEB)	± 3EV (1/2EV; 1/3EV stop)	Image processor	DIGIC X
Anti-flicker shooting	✓	Design	
Shutter		Product colour *	Black
Fastest camera shutter speed *	1/8000 s	Dustproof	✗
Slowest camera shutter speed *	30 s	Splash proof	✗
Camera shutter type	Electronic	Battery	
Flash		Battery technology *	Lithium-Ion (Li-Ion)
Flash exposure lock	✓	Battery type	LP-E17
Flash guide number	6 m	Number of batteries supported	1
External flash connector	✓	Battery level indicator	✓
Flash exposure compensation	✓	Battery level indicator number of levels	4
Flash exposure correction	±3EV (1/3 EV step)	Power	
Shoe mounting point	✓	USB Type-C charging port *	✓
Shoe mounting point type	Hot shoe	USB Type-C required charging power (min) *	7.5 W
Video		USB Type-C required charging power (max) *	7.5 W
Video recording *	✓	Operational conditions	
Maximum video resolution *	3840 x 2160 pixels	Operating temperature (T-T)	0 - 40 °C
HD type *	4K Ultra HD	Weight & dimensions	
Video resolutions	1920 x 1080,3840 x 2160 pixels	Width	116.3 mm
Video formats supported	H.264, H.265	Depth	68.8 mm
Colour sampling	YCbCr4:2:0 8-bit, YCbCr4:2:2 10-bit	Height	85.5 mm
Audio		Weight	328 g
Built-in microphone *	✓	Weight (including battery)	375 g
Built-in speaker(s)	✓	Lens weight	130 g
Audio system	stereo	Lens 2 weight	270 g
Wind filter	✓	Packaging data	
Audio formats supported	LPCM, AAC	Quantity per pack	1 pc(s)
Memory		Package width	172 mm
Compatible memory cards *	SD, SDHC, SDXC	Package depth	196 mm
Memory slots	1	Package height	141 mm
Display		Package weight	1.49 kg
Display *	LCD	Packaging content	
Touchscreen *	✓	Neck strap included	✓
Display diagonal (metric)	7.5 cm	AC adapter included *	✓

Packaging content	
Battery charger included	✓
Batteries included	✓
Logistics data	
Products per pallet	120 pc(s)



4549292205060

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.