

Epson EB-1485Fi Ultra short throw projector 5000 ANSI lumens 3LCD 1080p (1920x1080) White

Brand : Epson

Product code: V11H919040

Product name : EB-1485Fi

- Flexible display options and sizes: Cater for user needs in any working environment
 - All-in-one interactive meeting display: Combines multiple resources in one interactive collaboration device
 - Increase productivity & agile working: Share and display content from a range of devices simultaneously
 - Sliding split screen: Up to four displays in one image - project images from different sources
 - Easy installation: Quick set-up with auto-adjusting calibration function
- Laser, 3LCD, LCD Panel 0.62", 5000 Lumen, Full HD, 16:9, 2500000:1, 10 Bits, 192Hz-240Hz, Optical Lens, 8.68 : 1, 366W, 9.8kg



Projector		Features	
Supported aspect ratios	16:9	Interactive *	✓
Screen size compatibility *	1651 - 2540 mm (65 - 100")	Interactive input supported	Interactive pen/Touch
Projection distance	0 - 0.78 m	Noise level (economic mode)	27 dB
Projection distance (wide)	0 - 0.4 m	On Screen Display (OSD)	✓
Projection distance (tele)	0 - 0.6 m	Screen mirroring	✓
Projector brightness *	5000 ANSI lumens	Noise level *	36 dB
Projection technology *	3LCD	Air filter	✓
Projector native resolution *	1080p (1920x1080)	Composite sync	✓
Contrast ratio (typical) *	2500000:1	Country of origin	China
Native aspect ratio *	16:9	Password protection	✓
Number of colours	1.07 billion colours	Compatible operating systems	Linux, Mac OS 10.10.x, Mac OS 10.7.x, Mac OS 10.8.x, Mac OS 10.9.x, Ubuntu 14.10, Ubuntu 15.04, Windows 10, Windows 10 (32/64 bit), Windows 2000
Projector brightness (economic mode)	3500 ANSI lumens		
Vertical scan range	192 - 240 Hz		
Keystone correction, horizontal	-3 - 3°		
Keystone correction, vertical	-3 - 3°	Multimedia	
Matrix size	1.57 cm (0.62")	Built-in speaker(s) *	✓
Heat dissipation	1244 BTU/h	RMS rated power	16 W
Light source		Number of built-in speakers	2
Light source type *	Laser	Design	
Service life of light source *	20000 h	Market positioning *	Business
Service life of light source (economic mode)	30000 h	Product type *	Ultra short throw projector
Lens system		Product colour *	White
Focus *	Manual	Placement	Wall
Fixed focal length	3.9 mm	Cable lock slot	✓
Zoom capability	✓	Cable lock slot type	Kensington
Zoom type	Auto	Power	
Zoom ratio	1.35:1	Power source *	AC
Throw ratio	0.27 - 0.37:1	Power consumption (typical) *	366 W
Video		Power consumption (standby) *	0.5 W
Full HD *	✓	Power consumption (economy mode)	262 W
3D *	✗	AC input voltage	220-240 V
Supported graphics resolutions	1920 x 1080 (HD 1080)	AC input frequency	50 - 60 Hz

Video		Software	
Supported video modes	1080p	Software support	via: AMX, Crestron (Network), Extron, Crestron (RS-232C only), Crestron Integrated Partner, Crestron RoomView, Extron IP Link, Extron XTP, AMX Device Discovery, Control4 Simple Device Discovery Protocol
Video processing	10 bit		
Video colour modes	Blackboard, Cinema, Dynamic, Presentation, sRGB, DICOM simulation mode		
Adjustable colour temperature	✓		
Ports & interfaces		Windows operating systems supported	Windows 10, Windows 10 x64, Windows 2000
HDMI connector type	Full-size	Operational conditions	
HDBaseT port	✓	Storage temperature (T-T)	-10 - 60 °C
USB 2.0 ports quantity	2	Weight & dimensions	
USB 2.0 Type-B ports quantity	2	Width	458 mm
Headphone outputs	1	Depth	375 mm
Microphone in	✓	Height	210 mm
Serial interface type *	RS-232C	Weight *	9.3 kg
PC Audio in	✓	Package width	472 mm
PC Audio out	✓	Package depth	590 mm
VGA (D-Sub) ports quantity *	2	Package height	640 mm
HDMI ports quantity *	3	Package weight	27.7 kg
Component video (YPbPr/YCbCr) in *	1	Packaging content	
DVI port *	✗	Remote control included *	✓
DC-in jack	✓	Batteries included	✓
Network		Cables included	AC
Smart TV *	✗	Manual	✓
Ethernet LAN *	✓	Mounting brackets included	✓
Wi-Fi *	✓	AC adapter included	✓
Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac)	WLAN adapter included	✓
Miracast	✓	Bundled software	Easy Interactive Tools, EasyMP Multi PC Projection, Epson Projektor Management
Storage		Technical details	
Card reader integrated *	✗	Sustainability certificates	TCO
Logistics data			
		Quantity per pack	1 pc(s)
		Products per pallet	6 pc(s)
		Pallet gross weight	0 g
		Products per pallet (UK)	12 pc(s)
		Pallet weight (UK)	0 g
		Harmonized System (HS) code	85286200
Other features			
		Supported network protocols	HTTPS, IPv4, IPv6, SNMP, ESC/VP.net, PJLink



8715946674070

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.