

GIGABYTE MC13-LE0 motherboard AMD B650 Socket AM5 micro ATX

Brand : GIGABYTE



Product code: MC13-LE0

Product name : MC13-LE0

- Single AMD EPYC™ 4004 / Ryzen™ 9000 / Ryzen™ 7000 Series Processors
- Dual Channel DDR5 ECC/Non-ECC UDIMM, 4 DIMMs
- 2 x 1Gb/s LAN ports via Intel® I210-AT
- 4 x SATA 6Gb/s ports
- 1 x M.2 slot with PCIe Gen5 x4 interface
- 1 x PCIe Gen5 x16 expansion slot
- 1 x PCIe Gen4 x4 expansion slot

MicroATX, 244 x 244 mm, AM5, AMD EPYC 4004 Series Processors, AMD Ryzen 9000 Series Processors, AMD Ryzen 7000 Series Processors

GIGABYTE MC13-LE0. Processor manufacturer: AMD, Processor socket: Socket AM5, Compatible processor series: AMD EPYC 4004, AMD Ryzen 7000 Series, AMD Ryzen 9000 Series. Supported memory types: DDR5-SDRAM. Supported storage drive interfaces: M.2, SATA III, RAID levels: 0, 1, 10. On-board graphics card model: Aspeed AST2600. Component for: PC, Motherboard form factor: micro ATX, Motherboard chipset family: AMD



Processor		Network	
Processor manufacturer *	AMD	Ethernet LAN	✓
Processor socket *	Socket AM5	Wi-Fi *	✗
Compatible processor series *	AMD EPYC 4004, AMD Ryzen 7000 Series, AMD Ryzen 9000 Series	Features	
Memory		Motherboard chipset *	AMD B650
Supported memory types *	DDR5-SDRAM	Component for *	PC
Number of memory slots *	4	Motherboard form factor *	micro ATX
Storage controllers		Motherboard chipset family *	AMD
Supported storage drive interfaces *	M.2, SATA III	Compatible operating systems	
RAID support	✓	EPYC 4004 Series: Ubuntu 22.04 Ubuntu 24.04 Windows Server 2022 Ryzen 9000/7000 Series: Windows 10 21H2 Windows 11	
RAID levels	0, 1, 10	Expansion slots	
Graphics		PCI Express x4 (Gen 4.x) slots	1
On-board graphics card model	Aspeed AST2600	PCI Express x16 (Gen 5.x) slots	1
Internal I/O		Number of M.2 (M) slots	1
USB 2.0 connectors *	2	Operational conditions	
USB 3.2 Gen 1 (3.1 Gen 1) connectors *	1	Storage temperature (T-T)	-40 - 60 °C
Number of SATA III connectors *	4	Operating temperature (T-T)	10 - 40 °C
ATX Power connector (24-pin)	✓	Operating relative humidity (H-H)	8 - 80%
EPS power connector (8-pin)	✓	Storage relative humidity (H-H)	20 - 95%
TPM connector	✓	Packaging data	
Rear panel I/O ports		Package width	321 mm
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	2	Package depth	308.5 mm
Ethernet LAN (RJ-45) ports *	2	Package height	78.5 mm

Rear panel I/O ports		Weight & dimensions	
VGA (D-Sub) ports quantity *	1	Width	244 mm
COM ports quantity	1	Depth	244 mm



4719331849979

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.