

CyberPower UT2200EG uninterruptible power supply (UPS) Line-Interactive 2.2 kVA 1320 W 4 AC outlet(s)

Brand : CyberPower

Product code: UT2200EG-FR

Product name : UT2200EG

Line-interactive, 2200VA, 1320W, AVR, 4 x Outlets, Tower

CyberPower UT2200EG uninterruptible power supply (UPS) Line-Interactive 2.2 kVA 1320 W 4 AC outlet(s):

CyberPower UT2200EG guarantees power protection for computers, networking equipment, and storage devices. The product adopts line-interactive topology with Automatic Voltage Regulation (AVR) function to offer stabilized AC power output. The patented GreenPower UPS™ Bypass design achieves ultra-low power consumption to reduce energy costs, and allows a lower operation temperature which extends battery lifespan.

The LED indicator shows the utility, battery and operating status of the UPS. It is also compatible with generators to extend power continuity. Other features include overload protection, EMI filter and configurable alarm to safeguard your devices. Its tower design allows users to place it easily on desks or other tight spaces.



Features		Battery	
UPS topology *	Line-Interactive	Battery recharge time	8 h
Output power capacity *	2.2 kVA	Charging current	2.1 A
Output power *	1320 W	Design	
Waveform *	Pseudo sine	Form factor *	Tower
Input operation voltage (min) *	167 V	Housing material	Plastic
Input operation voltage (max) *	295 V	Cable length	1.5 m
Input frequency *	50/60 Hz	Cooling type	Active
Output operation voltage (max)	230 V	Product colour *	Black
Automatic Voltage Regulation (AVR)	✓	Control type	Buttons
Maximum current	10 A	LED indicators	✓
Surge energy rating	150 J	Operational conditions	
Response time	4 ms	Operating temperature (T-T)	0 - 40 °C
Heat dissipation	34.1 BTU/h	Storage temperature (T-T)	-20 - 50 °C
EMI/RFI noise filtering	✓	Operating relative humidity (H-H)	0 - 90%
Noise level	50 dB	Storage relative humidity (H-H)	0 - 90%
Surge protection	✓	Operating altitude	0 - 3000 m
Surge protection features	Modem, Network, Telephone	Non-operating altitude	0 - 3000 m
Power protection features	Overload	Certificates	
Audible alarm(s)	✓	Compliance certificates	CE, RoHS
Audible alarm modes	Alarm when on battery, Fault, Low battery alarm, Overload alarm	Packaging content	
Power source type	AC	Manual	✓
Ports & interfaces		Quick installation guide	✓
AC outlet types	Type E	Sustainability	
AC outlets quantity	4 AC outlet(s)	Sustainability compliance	✓
USB port	✓	Weight & dimensions	
USB port type	USB Type A/USB Type-C	Width	148 mm
Modem (RJ-11) ports	2	Depth	298 mm
Ethernet LAN (RJ-45) ports	2	Height	178 mm
Cabling technology	10/100/1000Base-T(X)	Weight	10.8 kg
Battery		Packaging data	
Battery technology	Sealed Lead Acid (VRLA)	Package width	271 mm
		Package depth	397 mm

Packaging data

Package height	202 mm
Package weight	11.1 kg



4711027790954

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.