

Ariete 413, Capri juicer, Electric juicer with lever, 2 cones for large and small fruits, Drip spout, Quiet motor, Professional juicing, Metal body

Brand : Ariete

Product code: 00C04130CAR0

Product name : 413, Capri juicer, Electric juicer with lever, 2 cones for large and small fruits, Drip spout, Quiet motor, Professional juicing, Metal body

413, Capri juicer, Electric juicer with lever, 2 cones for large and small fruits, Drip spout, Quiet motor, Professional juicing, Metal body
Ariete 413, Capri juicer, Electric juicer with lever, 2 cones for large and small fruits, Drip spout, Quiet motor, Professional juicing, Metal body. Product colour: White, Light Blue, Bowl capacity: 0.6 L, Material: Metal. Power: 85 W, AC input voltage: 220-240 V, AC input frequency: 50-60 Hz. Width: 175 mm, Depth: 245 mm, Height: 290 mm. Package width: 235 mm, Package depth: 235 mm, Package height: 315 mm. Warranty period: 2 year(s)



Features		Weight & dimensions	
Bowl *	✗	Height	290 mm
Bowl capacity	0.6 L	Weight	1.95 kg
Lid *	✗	Packaging data	
Number of speeds	2	Package width	235 mm
Product colour *	White, Light Blue	Package depth	235 mm
Non-slip feet	✓	Package height	315 mm
Cord storage	✓	Package weight	3.14 kg
Number of press cones	2	Packaging content	
Material	Metal	Manual	✓
Juice container *	✗	Other features	
Easy to clean	✓	Warranty period	2 year(s)
On/off switch	✓	Logistics data	
Anti-drip function	✓	Products per shipping (inner) case	1 pc(s)
Dust cover included	✗	Products per pallet	60 pc(s)
Housing material	Metal	Products per intermodal container (20ft)	1500 pc(s)
Liquid level indicator	✗	Products per intermodal container (40ft)	3020 pc(s)
Double rotation cone	✓	Products per intermodal container (40ft, HC)	3450 pc(s)
Press lever	✓	Master (outer) case width	250 mm
Pulp container capacity	0 L	Master (outer) case length	480 mm
Push button	✓	Master (outer) case height	330 mm
Power		Master (outer) case gross weight	6.72 kg
Power *	85 W	Products per master (outer) case	2 pc(s)
AC input voltage	220-240 V	Weight & dimensions	
AC input frequency	50-60 Hz	Width	175 mm

Weight & dimensions

Depth245 mm



8003705122932

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.