



TP-Link 5-Port Gigabit Easy Smart Switch with 4-Port PoE+

Brand : TP-Link

Product code: TL-SG105MPE

Product name : 5-Port Gigabit Easy Smart Switch with 4-Port PoE+



- Five 10/100/1000Mbps RJ45 ports
- Equipped with four 802.3af/at PoE+ ports with up to 30W for each port, data, and power can be transferred on one single cable
- Supports PoE power up to 120 W for all PoE ports
- Provides network monitoring, traffic prioritization, VLAN features, and PoE Auto Recovery
- Simple network set-up on top of plug-and-play connectivity
- Web-based user interface and Easy Smart Configuration Utility simplify configuration
- Fanless design lowers energy consumption and eliminates operating noise

5-Port Gigabit Easy Smart Switch with 4-Port PoE+

TP-Link 5-Port Gigabit Easy Smart Switch with 4-Port PoE+. Switch layer: L2. Basic switching RJ-45 Ethernet ports type: Gigabit Ethernet (10/100/1000), Basic switching RJ-45 Ethernet ports quantity: 5. MAC address table: 2000 entries, Switching capacity: 10 Gbit/s. Networking standards: IEEE 802.1Q, IEEE 802.1p, IEEE 802.3ab, IEEE 802.3af, IEEE 802.3at, IEEE 802.3i, IEEE 802.3u, IEEE.... DC input voltage: 53.5 V. Power over Ethernet (PoE)



Management features		Power	
Switch layer	L2	Power source *	DC/PoE
Web-based management	✓	Power supply included *	✓
Ports & interfaces		AC input voltage	100 - 240 V
Basic switching RJ-45 Ethernet ports quantity *	5	AC input frequency	50 - 60 Hz
Basic switching RJ-45 Ethernet ports type *	Gigabit Ethernet (10/100/1000)	DC input voltage	53.5 V
Network		Power consumption (max)	137.01 W
Networking standards *	IEEE 802.1Q, IEEE 802.1p, IEEE 802.3ab, IEEE 802.3af, IEEE 802.3at, IEEE 802.3i, IEEE 802.3u, IEEE 802.3x	Power over Ethernet (PoE)	
10G support *	✗	Power over Ethernet (PoE) *	✓
Port mirroring	✓	Total Power over Ethernet (PoE) budget	120 W
Broadcast storm control	✓	Operational conditions	
Rate limiting	✓	Operating temperature (T-T)	0 - 40 °C
Data transmission		Storage temperature (T-T)	-40 - 70 °C
Switching capacity *	10 Gbit/s	Operating relative humidity (H-H)	10 - 90%
Forwarding rate	7.44 Mpps	Storage relative humidity (H-H)	5 - 95%
MAC address table *	2000 entries	Weight & dimensions	
Static route	✓	Width	99.8 mm
Jumbo frames support	✓	Depth	98 mm
Jumbo frames	16	Height	25 mm
Security		Packaging content	
IGMP snooping	✓	Cables included	LAN (RJ-45)
Loop protection	✓	Packaging data	
		Package width	250 mm
		Package depth	528 mm
		Package height	80 mm
		Package weight	2.76 kg

Design

Rack mounting *	×
Product colour	Black



4895252500271



0840030708527



840030708527



4895252500264

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.