



TP-Link 10-Port Gigabit Easy Smart Switch with 8-Port PoE+

Brand : TP-Link

Product code: TL-SG1210MPE

Product name : 10-Port Gigabit Easy Smart Switch with 8-Port PoE+



- 9× gigabit RJ45 ports and 1× combo gigabit SFP/RJ45 port
 - Equipped with eight 802.3af/at PoE+ ports with up to 30 W for each port, the switch can transfer data and power via one single cable
 - Supports PoE power up to 123 W for all PoE ports*
 - Provides network monitoring, traffic prioritization, VLAN features, and PoE Auto Recovery
 - Simple network set-up on top of plug-and-play connectivity
 - Web-based user interface and Easy Smart Configuration Utility simplify configuration
 - Fanless design lowers energy consumption and eliminates operating noise
- 10-Port Gigabit Easy Smart Switch with 8-Port PoE+



Management features		Design	
Switch type *	Managed	LED indicators	✓
Switch layer	L2	Power	
Quality of Service (QoS) support	✓	Power supply included *	✓
Ports & interfaces		DC input voltage	53.5 V
Basic switching RJ-45 Ethernet ports quantity *	9	Input current	2.43 A
Basic switching RJ-45 Ethernet ports type *	Gigabit Ethernet (10/100/1000)	Power over Ethernet (PoE)	
Fiber ports quantity	1	Power over Ethernet (PoE) *	✓
Fiber optic connector	SFP	Power over Ethernet plus (PoE+) ports quantity	8
Power connector	DC-in jack	Power over Ethernet (PoE) power per port	30 W
Network		Operational conditions	
Networking standards *	IEEE 802.1Q, IEEE 802.1p, IEEE 802.3ab, IEEE 802.3af, IEEE 802.3at, IEEE 802.3i, IEEE 802.3u, IEEE 802.3x, IEEE 802.3z	Operating temperature (T-T)	0 - 40 °C
10G support *	✗	Storage temperature (T-T)	-40 - 70 °C
Port mirroring	✓	Operating relative humidity (H-H)	10 - 90%
Broadcast storm control	✓	Storage relative humidity (H-H)	5 - 95%
Rate limiting	✓	Weight & dimensions	
Data transmission		Width	209 mm
Switching capacity *	20 Gbit/s	Depth	126 mm
Forwarding rate	14.88 Mpps	Height	26 mm
MAC address table *	4000 entries	Packaging content	
Store-and-forward	✓	Manual	✓
Jumbo frames support	✓	Packaging data	
Jumbo frames	16000	Package width	240 mm
		Package depth	315 mm
		Package height	70 mm


Security		Packaging data	
IGMP snooping	✓	Package weight	1.58 kg
Loop protection	✓	Logistics data	
Design		Harmonized System (HS) code	85176990
Rack mounting *	✗		
Product colour	Black		



6935364052676




6935364052669



0845973099565



845973099565



5715063515884

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.